2021
DATASHEET
CATALOGUE

ricky
Print Media

CONTENTS

DATASHEET CATALOGUE
2021

SELF ADHESIVE VINYL

MONOMERIC - SHORT TERM

RP1-G

GLOSS WHITE MONOMERIC SAV

SOLVENT AND UV CURABLE INKJET MEDIA

DESCRIPTION

Promotional grade gloss self adhesive vinyl, suitable for short term applications over flat and simple curved surfaces.

I internal **E** external

Roll Width	137cm
Roll Length	50 metres
Film	White monomeric calendared PVC
Thickness	100 micron
Adhesive	Clear permanent solvent based
Liner	140gsm PE coated silicon paper
Finish	Gloss
Outdoor Durability	**2** up to 2yr life span *
Bundle With	RL1- G RL1- M
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Superior ink absorption and colour reproduction Excellent adhesion to most substrates

* Unprinted

RP1-GA
GLOSS WHITE AIR ESCAPE MONOMERIC SAV

SOLVENT AND UV CURABLE INKJET MEDIA

DESCRIPTION

Promotional grade "air escape" removable self adhesive vinyl ideal for applications over flat and simple curved surfaces.

I internal   **E** external

Roll Width	137cm
Roll Length	50 metres
Film	White monomeric calendared PVC
Thickness	100 micron
Adhesive	Clear removable solvent based air escape
Liner	140gsm PE coated silicon paper
Finish	Gloss
Outdoor Durability	**2** up to 2yr life span *
Bundle With	RL1- G RL1- M
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Air escape structure allows easy application to most substrates Minimal residual glue on removal Easy installation Excellent ink absorption and colour reproduction

* Unprinted

5

RP1-GBA

GLOSS WHITE BLOCKOUT AIR ESCAPE MONOMERIC SAV

SOLVENT AND UV CURABLE INKJET MEDIA

DESCRIPTION

Promotional grade "air escape" blockout removable self adhesive vinyl ideal for applications over flat and simple curved surfaces.

I internal   **E** external

Roll Widths	137cm & 152cm
Roll Length	50 metres
Film	White monomeric calendared PVC
Thickness	90 micron
Adhesive	Black removable solvent based air escape
Liner	140gsm PE coated silicon paper
Finish	Gloss
Outdoor Durability	**2** up to 2yr life span *
Bundle With	RL1- G RL1-M
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Air escape structure allows easy application to most substrates Minimal residual glue on removal Easy installation Excellent ink absorption and colour reproduction

* Unprinted

6

IT10001

GLOSS WHITE MONOMERIC HIGH TACK SAV

SOLVENT AND UV CURABLE INKJET MEDIA

DESCRIPTION

Promotional grade super permanent self-adhesive vinyl for adhesion on to hard to stick surfaces.

I internal **E** external

Roll Width	137cm
Roll Length	50 metres
Film	White gloss monomeric calendered PVC
Thickness	100 micron
Adhesive	White gloss super permanent solvent based
Liner	PE coated paper
Finish	Gloss
Outdoor Durability	**2** up to 2yr life span *
Bundle With	RL1- G RL1- M
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Excellect adhesion to rough and low surface energy substrates High tack

* Unprinted

SELF ADHESIVE VINYL

INTERMEDIATE - MEDIUM TERM

RP3-GBA
GLOSS WHITE BLOCKOUT AIR ESCAPE INTERMEDIATE SAV

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Intermediate grade self adhesive blockout air escape vinyl ideal for medium term applications over flat to simple curves.

I internal **E** external

Roll Width	137cm
Roll Length	50 metres
Film	100 micron white gloss polymeric PVC
Adhesive	Grey permanent air escape
Liner	Double coated PE liner
Finish	Gloss
Outdoor Durability	**5** up to 5yr life span *
Bundle With	RL3- G RL3- M
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Excellent colour reproduction Excellent printability with all printers Easy to apply Grey air escape adhesive

* Unprinted

9

GRAFITYP
selfadhesive products

ricky
Print Media

S56P

GLOSS WHITE BLOCKOUT AIR ESCAPE SPECIAL FORMULA SAV

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

S56P is a soft, seamless, cadmium free special formulation calendered, white gloss blockout, self adhesive vinyl ideal for medium to long term applications.

| **I** internal | **E** external | Certified for **HP Latex Inks** |

10

Roll Width	137cm
Roll Length	50 metres
Film	75 micron white gloss special formulation calendered PVC
Adhesive	Grey permanent solvent based air escape
Liner	130gsm PE coated paper
Finish	Gloss
Outdoor Durability	**5** up to 5yr life span *
Bundle With	Grafityp LAM121 Grafityp LAM170
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Blockout Air Escape adhesive allows easier application Chemical resistant Moisture resistant Outstanding print colour and clarity

* Please refer to supplier datasheet for more details.

SELF ADHESIVE VINYL

POLYMERIC - LONG TERM

S24P

GLOSS WHITE BLOCKOUT POLYMERIC SAV

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

S24P is a soft, seamless, cadmium free, polymeric calendered, white glossy blockout self adhesive vinyl ideal for long term applications.

I internal **E** external

Roll Width	137cm
Roll Length	50 metres
Thickness	75 micron
Adhesive	Permanent pressure-sensitive grey solvent-based acrylic adhesive.
Liner	PE-coated 130 gr/m²
Finish	Gloss
Outdoor Durability	**7** up to 7yr life span *
Bundle With	Grafityp P20P Grafityp P21P
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Chemical resistant Moisture resistant Outstanding print colour and clarity

* Please refer to supplier datasheet for more details.

rickyrichards.com.au
MARCH2020

12

RP5-GBA

GLOSS BLOCKOUT AIR ESCAPE WHITE POLYMERIC SAV

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

A white gloss blockout air ecsape self adhesive vinyl ideal for medium to long term applications over flat to simple curves.

I internal **E** external

Roll Width	137cm
Roll Length	50 metres
Film	100 micron white gloss polymeric sav
Adhesive	Grey permanent air escape acrylic
Liner	Double coated PE
Finish	Gloss
Outdoor Durability	**5** up to 5yr life span *
Bundle With	RL5- G RL5- M
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Excellent printability / colour reproduction Super easy to apply Grey permanent air escape adhesive Outstanding print colour and clarity

* Unprinted

13

GRAFITYP
selfadhesive products

Support the environment!

With self-adhesive supply partners Grafityp, who are pioneers in the development and production of PVC-free products worldwide, Ricky now offers a Grafityp Ecological Film (GEF) that offers an alternative to the more common PVC. There are two types of GEF, one for UV curable inks and another that is due in stock later this year for latex printing. These GEF products do not contain any plasticizers. They are phthalate free, chlorine-free, fire retardant (B1) and REACH compliant.

**Contact your Print Media
expert today, call 02 9735 3333**

rickyrichards.com.au

PVC BANNER

FRONTLIT

RICKYFLEX

MATTE SEMI-COATED BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Rickyflex is a premium semi coated front-lit PVC banner ideal for interior & exterior banners and roll up displays.

I internal **E** external

Roll Widths	137cm, 160cm, 210cm 250cm, 320cm, 350cm & 500cm
Roll Length	50 metres - 137cm, 160cm, 210cm 250cm & 320cm 55 metres - 350cm & 500cm
Nominal Weight	510gsm
Base Fabric	Woven 1100dtex polyester
Fabric Density	8 x 8 threads per cm^2
Fabric Type	Semi-coated PVC
Finish	Matte
Treatment	UV stabilised
Fire Retardant	B1 AS/NZS 1530 fire test Only Rickyflex 350cm and 500cm are B1 fire retardant.
Printing Compatibility	S solvent ECO solvent UV L latex

Tensile Strength	Warp: 2300	N/5cm	DIN 53354 BS 3424 Method 6A
	Weft: 1900		
Tearing Strength	Warp: 240	N/5cm	DIN 53356 BS 3424 Method 7A
	Weft: 200		
Features	Suitable for medium term outdoor applications Smooth matte finish Knife coated Low curl High strength		

SWING 8
LIGHTWEIGHT BLACK BACK PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Lightweight recycled black backed PVC fabric for banners and billboards.

E environmentally friendly **I** internal **E** external

Roll Widths	250cm, 320cm & 500cm
Roll Length	50 metres
Nominal Weight	270gsm
Base Fabric	Knitted 840dtex polyester
Fabric Density	3.5 x 2.4 threads per cm^2
Fabric Type	Laminated PVC with recycled black back
Finish	Gloss (320cm) & matte (250cm, 320cm & 500cm)
Treatment	UV stabilised
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	35% lighter than conventional banner and billboard materials Lighter weight does not compromise physical strength as a high denier yarn is used Superior printability Recycled black back contains no heavy metals

PVC BANNER

BACKLIT

RICKYTRANS
BACKLIT COATED FLEXFACE BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Rickytrans is a coated backlit PVC banner ideal for backlit signs.

I internal **E** external

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	510gsm
Base Fabric	Woven 1100dtex polyester
Fabric Density	18 x 18 threads per cm^2
Fabric Type	Coated PVC
Finish	Matte
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Matte finish Good outdoor durability

PVC BANNER

BLOCKOUT

![Ricky Print Media logo]

USB ULTRA SMOOTH
MATTE SEMI-COATED PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
USB is an ultra smooth blockout banner fabric suitable for indoor and short term outdoor projects.

APPLICATIONS
Ideal for interior double-sided banners, fixed displays and roll-up display systems.

I internal   **E** external

Roll Widths	137cm, 160cm & 250cm
Roll Length	50 metres
Nominal Weight	440gsm
Base Fabric	Woven 250 denier polyester
Fabric Density	14 x 14 threads per cm^2
Fabric Type	Semi coated PVC
Finish	Matte
Treatment	UV stabilised
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Ultra smooth surface on both sides Printable both sides UV stabilised Excellent printability Excellent lay flat

BL610

SATIN SMOOTH BLOCKOUT PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Ideal for doublesided indoor and outdoor banners.

I internal   **E** external

Roll Widths	137cm, 160cm, 203cm, 250cm, 320cm & 500cm
Roll Length	50 metres
Nominal Weight	610gsm
Base Fabric	Woven 1000dtex polyester
Fabric Density	20 x 20 threads per sq inch
Fabric Type	Semi coated PVC
Finish	Satin
Treatment	UV stabilised
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Breaking Strength (DIN53354)	Warp: 2200N/50mm Weft: 2550N/50mm
Tearing Strength (DIN53356)	Warp: 350N Weft: 320N
Adhesion (DIN53357)	100N/50mm
Temperature (DIN53372)	-30º to 70º
Features	High tear strength Printable both sides Smooth finish Meterage markings

BL610 FR

SATIN SMOOTH DOUBLE SIDED FR BLOCKOUT PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Ideal for double sided indoor and outdoor banners.

I internal   **E** external

Roll Widths	203cm, 250cm, 320cm & 500cm
Roll Length	55 metres
Nominal Weight	610gsm
Base Fabric	Woven 1000dtex polyester
Fabric Density	20 x 20 threads per sq inch
Fabric Type	Semi coated PVC
Finish	Satin
Treatment	UV stabilised
Fire Retardant	B1 AS/NZS 1530 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Breaking Strength (DIN53354)	Warp: 2200N/50mm Weft: 2550N/50mm
Tearing Strength (DIN53356)	Warp: 350N Weft: 320N
Adhesion (DIN53357)	100N/50mm
Temperature (DIN53372)	-30º to 70º
Features	Fire Retardant B1& AS/NZS 1530 High tear strength Printable both sides Smooth finish Meterage markings

23

PVC MESH

BACKLINER MESH PLUS
PVC COATED MESH WITH A LINER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Backliner Mesh is a PVC coated polyester mesh ideal for applications that require light or wind to filter through. The release liner allows banners to be printed without ink flow through.

APPLICATIONS
Lined PVC mesh ideal for perimeter fencing, window banners and display screens.

I internal   **E** external

Roll Widths	137cm, 160cm & 250cm
Roll Lengths	50 metres - 137cm, 160cm & 250cm 55 metres - 160cm & 250cm
Nominal Weight	270gsm
Finish	Matte
Base Fabric	Knitted 1100dtex polyester
Fabric Density	4.7 x 4.7 threads per cm^2
Fabric Type	Dipped PVC
Treatment	UV stabilised
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	High strength Excellent ink adhesion Superior image quality Two lengths available

MESHBLOCK

400GSM COATED DOUBLE-SIDED PRINTABLE PVC MESH

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Meshblock FR can be printed both sides with no show through ideal for pole banners, tradeshow displays, banner stands, perimeter fencing, building wraps and window banners.

I internal **E** external

Roll Widths	160cm, 250cm & 320cm
Roll Length	50 metres
Nominal Weight	400gsm
Finish	Matte
Base Fabric	Woven 840 x 500dtex polyester
Fabric Density	10 x 11 threads per cm^2
Fabric Type	Coated PVC
Fire Retardant	B1
Treatment	UV stabilised Fire retardant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	High strength Excellent ink adhesion Blockout Double-sided

26

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au
JUNE 2020

PROMOMESH FR

270GSM PVC COATED FR MESH

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Promomesh FR is ideal for perimeter fencing, building wraps, window banners and display banners.

I internal **E** external

Roll Widths	160cm, 183cm, 320cm & 500cm
Roll Lengths	160cm - 55 metres & 110 metres 183cm - 55 metres & 110 metres 320cm - 55 metres 500cm - 55 metres
Nominal Weight	270gsm
Finish	Matte
Base Fabric	Woven 1000dtex polyester
Fabric Density	12 x 12 threads per cm^2
Fire Retardant	B1 AS/NZS 1530 fire test
Treatment	UV stabilised
Printing Compatibility	S solvent ECO solvent UV L latex
Features	High strength Excellent ink adhesion AS/NZS 1530 test

NON PVC MESH

AIR MESH 120

PVC FREE MESH FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION
Lightweight polyester PVC free mesh, ideal for Dye Sub printing.

APPLICATIONS
Ideal for banners, flags, beach flags and wall covering.

I internal **E** external

Roll Widths	205cm & 310cm
Roll Length	100 metres
Nominal Weight	115gsm
Fabric Type	100% Polyester
Air Permeability	Open area 6%cm^2
Finish	Digital coating one side / uncoated otherside
Printing Compatibility	UV L latex DYE sub direct SUB paper
Cutting	COLD cut
Tensile Strength (DIN EN ISO 13934-1)	Warp: 30 daN Weft: 35 daN
Tear Resistance (DIN EN ISO 13937-1)	Warp: 14N Weft 13N
Features	PVC free Excellent printability Lightweight Uncoated one side Easy to handle

ricky GREEN

LAMINATES

MONOMERIC

RL1-G
GLOSS MONOMERIC LAMINATE

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Promotional grade gloss laminating film for protection of digitally printed images.

I internal **E** external

Roll Width	137cm
Roll Length	50 metres
Film	80 micron clear monomeric calendered PVC
Adhesive	Clear permanent solvent based
Outdoor Durability	**2** up to 2yr life span *
Liner	100gsm PE coated silicon paper
Finish	Gloss
Features	UV protection Abrasion resistance Excellent transparency

* Unprinted

RL1-M
MATTE MONOMERIC LAMINATE

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Promotional grade matte laminating film for protection of digitally printed images.

I internal **E** external

Roll Width	137cm
Roll Length	50 metres
Film	80 micron clear monomeric calendered PVC
Adhesive	Clear permanent solvent based
Outdoor Durability	**2 up to 2yr life span** *
Liner	100gsm PE coated silicon paper
Finish	Matte
Features	UV protection Abrasion resistance Excellent transparency

* Unprinted

LAMINATES

POLYMERIC / ANTI-GRAFFITI

LAMPDF

ANTI-GRAFFITI GLOSS NON PVC LAMINATE

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Anti-graffiti film for over lamination of digitally printed images and protection against most chemical products and solvents.

I internal **E** external

Roll Width	137cm
Roll Length	50 metres
Film	50 micron PVDF (polyvinyl difluoride)
Finish	Gloss
Adhesive	Clear permanent solvent based
Liner	120gsm clay coated paper
Outdoor Durability	**7** up to 7yr life span *
Features	Easy to remove graffiti Clear permanent water based adhesive UV resistant Chemical resistant Humidity resistant Dirt resistant Solvent-based pressure-sensitive permanent acrylic glue Added UV inhibitors for superior print durability

* Please refer to supplier datasheet for more details.

FLOOR GRAPHICS

PRO-FLOOR
DIRECT PRINT FLOOR SAV

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Direct print non-slip vinyl for floors, walls, carpet and sidewalk graphics. No lamination required.

internal **slip resistant**

Roll Width	137cm
Roll Lengths	25 metres & 50 metres
Thickness	150 micron
Liner	PE coated
Film	Coated 120gsm paper
Adhesive	Removable
Finish	Embossed textured matte
Outdoor Durability	**2 up to 2yr life span** *
Printing Compatibility	**S solvent** **ECO solvent** **UV** **L latex**
Features	Excellent slip resistance (Slip Resistant Test AS 4586:2013) R11 Slip Rating Long durability due to the composition of PVC and fabric Residue free removability Short to medium term flooring

BILD
LONG TERM PRINTABLE FLOOR COVERING

SOLVENT AND UV CURABLE INKJET MEDIA

APPLICATIONS

Premium floor graphics ideal for retail POS, trade shows, stage, TV, movie sets, show rooms, museums,convention centres, sports arenas, bars, restaurants and gymnasiums.

I internal   **E** external   slip resistant

Product Finish	Ceramic
Roll Widths	152cm & 304cm
Roll Length	15.24 metres
Nominal Weight	2440gsm
Finish	Matte
Material	Extruded clear PVC sheet
Thickness	1.9mm
Fire Retardant	AS/ISO9239.1 fire test
Printing Compatibility	UV
Features	Reverse side printing Reusable Easy to clean No adhesive necessary Slip, tear, chemical and waterproof

*Sample card available on request.

38

PRINT FLOOR
SHORT TERM FLOORING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Endutex Print Floor is a printable slip resistant PVC ideal for promotional floor graphics.It has a superior lay flat and can be used over many types of flooring.

APPLICATIONS

Printable linoleum for promotional floor graphic applications, exhibition stands, retail, fashion shows, theatre and film sets.

Roll Widths	250cm & 320cm
Roll Length	30 metres
Nominal Weight	1000gsm
Material	85% PVC / 15% PES
Finish	Matte
Thickness	2.2mm
Printing Compatibility	UV L latex
Features	Slip resistant Superior lay flat No adhesive

39

WALL COVERINGS

ADHESIVE

WALLFAB CLASSIC
ADHESIVE POLYESTER WALL FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Self adhesive polyester textile for wall coverings, creating customised interior design.

I internal

Roll Width	137cm
Roll Length	30 metres
Fabric	Woven 165dtex polyester
Liner	PE Coated
Nominal Weight	320gsm
Nominal Thickness	340micron (with liner)
Adhesive	Removable grey back
Finish	Matte
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Natural textile appearance and feel Peel and stick for easy mounting Easy removal with no residue Grey adhesive for non show through when overlapping

41

WALL COVERINGS

PASTE & PRE-PASTED

POLYCRIL 275

RESIN COATED POLYESTER FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Polycril 275 is an environmentally friendly 100% PVC free material. It is recyclable and its wide width allows seamless wall covering installations, art reproduction and banners.

I internal **E** environmentally friendly **TERRATEX** ♲ PET

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	275gsm
Fabric Type	Resin coated woven polyester fabric - 100 % PVC free
Finish	Matte
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Environmentally friendly PVC free Crease resistant 100% Recyclable Fire Retardant B1

ricky GREEN

POLYCRIL GW

RESIN COATED POLYESTER BLOCKOUT FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

An environmentally friendly 100% PVC free material that has a grey backing to create full blockout. It is recyclable and its wide width allows seamless wall covering installations. Also perfect for hanging banners.

I internal **E** environmentally friendly **TERRATEX** PET

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	330gsm
Fabric Type	Resin coated woven polyester fabric (Grey back) - 100% PVC free
Finish	Matte
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Environmentally friendly PVC free Full blockout 100% Recyclable Fire Retardant B1

44

ricky GREEN

SIHL2515 PRE-PASTED WALLPAPER
PREPASTED PVC FREE WALLPAPER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Prepasted PVC free satin wallpaper with a high colour brilliance and dimensional stability.

APPLICATIONS
Ideal for signs, posters and photos.

I internal **E** external

Roll Width	137cm
Roll Length	51 metres
Nominal Weight	230gsm
Thickness	350 micron
Adhesive	Pre-pasted (water activatable)
Material	Non-woven
Finish	Satin
Treatment	FSC® Certificate
Fire Retardant	DIN EN 13501-1
Printing Compatibility	**S** solvent **UV** **L** latex
Features	Multi -layer coated Water-repellant surface Scratch resistance Fold resiatance FSC® certified

ricky GREEN

E environmentally friendly

IMAGINATION
BROUGHT TO LIFE

R ricky
›Print Media

SQUID®

SQUID®

DREAMSCAPE

WHITE TEXTURES

DREAMSCAPE ARTIST CANVAS

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

49

DREAMSCAPE BEADS
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE CABRETTA

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE CANVAS
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed wallcovering for long term decoration.

Roll Width	137cm
Roll Length	22.86 metres / 45.72* metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

* Available in jumbo rolls

52

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

FEBRUARY 2019

DREAMSCAPE
HIGH PERFORMANCE CANVAS
COMMERCIAL GRADE WALL COVERING
FOR LATEX PRINTING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Optimised for highest level of print consistency with Latex and other inkjet printing systems.

Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Advanced vinyl formula provides improved dot gain Enhanced physical stability provides deeper colour density Enhanced temperature stability provides greater print uniformity across solid colours Fire rating AS/NZS 3837: 1998

DREAMSCAPE CRISS CROSS
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	**B1** **AS/NZS 3837:1998 fire test**
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	**S solvent** **ECO solvent** **UV** **L latex**
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE MATTE
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	**B1** **AS/NZS 3837:1998 fire test**
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	**S solvent** **ECO solvent** **UV** **L latex**
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au
FEBRUARY 2019

DREAMSCAPE
HIGH PERFORMANCE MATTE

COMMERCIAL GRADE WALL COVERING FOR LATEX PRINTING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Optimised for highest level of print consistency with Latex and other inkjet printing systems.

Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Advanced vinyl formula provides improved dot gain Enhanced physical stability provides deeper colour density Enhanced temperature stability provides greater print uniformity across solid colours Fire rating AS/NZS 3837: 1998

DREAMSCAPE MYSTICAL
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

57

DREAMSCAPE PIQUE

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	solvent ECO solvent UV latex
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE PLASTER
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

59

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

FEBRUARY 2019

DREAMSCAPE SANDBLAST

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

60

DREAMSCAPE SILK

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTIONE

Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

61

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

FEBRUARY 2019

DREAMSCAPE SUEDE
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

rickyrichards.com.au
FEBRUARY 2019

DREAMSCAPE
HIGH PERFORMANCE SUEDE

COMMERCIAL GRADE WALL COVERING
FOR LATEX PRINTING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.

Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Advanced vinyl formula provides improved dot gain Enhanced physical stability provides deeper colour density Enhanced temperature stability provides greater print uniformity across solid colours Fire rating AS/NZS 3837: 1998

DREAMSCAPE SUSTAINABLE

Dreamscape wallcoverings

The **Dreamscape sustainable** range includes four environmentally friendly wall coverings suitable for commercial projects within medical, childcare and aged-care spaces. These printable wall coverings allow you to create unique artwork on walls and all four textures can be installed with commercially available wallpaper adhesive. They are completely breathable which minimises mould and mildew growth and are fire retardant (AS/NZS 3837:1998). Printing compatibility on Solvent, Eco Solvent, Latex & UV.

**Contact your Print Media
expert today, call 02 9735 3333**

rickyrichards.com.au

ricky
Print Media

DREAMSCAPE

SPECIAL EFFECTS

DREAMSCAPE BLACK FLASH

COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Polyester/PVC face with polyester non-woven backing
Fire Retardant	**B1** AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE BLING
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Glass bead printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Metallic enriched glass bead embossed PVC with a poly cotton fabric backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Makes metallic printing a reality Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

DREAMSCAPE COPPER FLASH
COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

68

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

FEBRUARY 2019

DREAMSCAPE GOLD FLASH
COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE PRISMA

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Glitter effect embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	**B1** **AS/NZS 3837:1998 fire test**
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	**S solvent** **ECO solvent** **UV** **L latex**
Features	Eye catching multi coloured sparkle effect Optimised white point Polyester cotton fabric backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE SATARA PEARL

COMMERCIAL GRADE WALLCOVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed brushed finish printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres / 45.72* metres
Nominal Weight	440gsm
Material Backing	Embossed brushed finish PVC with a non woven polyester backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Elegant pearl finish looks and feels like fabric Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

* Available in jumbo rolls

DREAMSCAPE SATARA STEEL

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed brushed finish printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed brushed finish PVC with a non woven polyester backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Sophisticated steel finish looks and feels like fabric Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

72

DREAMSCAPE SILVER FLASH

COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

73

DREAMSCAPE SILVER ODYSSEY

COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Metallic printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Embossed polyester/PVC face with polyester non-woven fabric backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Combines a stunning silver chrome finish with a deep rich texture Can be installed with commercially available wallpaper adhesives Non-woven polyester backing allows easy installation and removal Fire rating AS/NZS 3837: 1998

DREAMSCAPE

SUSTAINABLE

DREAMSCAPE NOLAR

ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments

E environmentally friendly   **I** internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	180gsm
Material	100% Nolar (non-woven fibres and wood plup)
Finish	Smooth
Fire Retardant	**B1** AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Wood pulp / natural fibre technology Low VOC emitting Can be installed using commercially available wallpaper adhesive FSC sourced materials Breathable and lightweight

DREAMSCAPE NOLAR SAILCLOTH

ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.

E environmentally friendly   **I** internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	180gsm
Finish	Light textile embossed
Material	100% Nolar (non-woven fibres and wood plup)
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Wood pulp / natural fibre technology Low VOC emitting Can be installed using commercially available wallpaper adhesive FSC sourced materials Breathable and lightweight

DREAMSCAPE TERRALON
ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.

E environmentally friendly	I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	315gsm
Material	100% Terralon (Polyester/natural fibre technology)
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	31% post consumer recycled content PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Breathable-minimises mould & mildew growth Can be installed with commercially available wallpaper adhesives Extremely low VOC's

DREAMSCAPE TERRALON SMOOTH

ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.

E environmentally friendly   **I** internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	315gsm
Material	100% Terralon (Polyester/natural fibre technology)
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	31% post consumer recycled content PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Breathable-minimises mould & mildew growth Can be installed with commercially available wallpaper adhesives Extremely low VOC's

WINDOW FILMS

RICKY PRO STICK WHITE
REPOSITIONABLE WINDOW FILM

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Low tack self adhesive PET ideal for window applications.

APPLICATIONS
Blockout film for applications on glass, stainless steel, aluminium & acrylic.

E environmentally friendly **I** internal

Roll Width	137cm
Roll Length	30 metres
Film	160 micron white blockout PET
Adhesive	Easy apply clear removable silicon based
Liner	PE coated
Finish	Satin
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Repositionable No adhesive residue Opaque

SQUID®

PRINTABLE SELF ADHESIVE TRANSPARENT WINDOW TEXTILE

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

An innovative transparent self adhesive window textile for internal window and vertical glass surface applications. This product can be digitally printed and/or cut.

Roll Width	130cm
Roll Lengths	25 metres & 50 metres
Nominal Weight	105gsm (fabric only) / 140gsm (with liner)
Colours	Chalk, Bone, Oak, Ash, Rock & Coal
Thickness	300 micron
Adhesive	Air escape repositionable
Liner	35gsm polypropylene
Fabric Type	100% Woven Polyester
Treatment	Flame Retardant M1/B1 Humidity Resistant Anti-Bacterial UV Stabilised PVC Free
Features	Privacy - transparent from the inside and obscured view from the outside (daytime only) Sun protection - Up to 1/3 of the suns rays reflected The sensing temperature on a window covered with Squid compared to an uncovered window is at least 3℃ lower 5 year service life* Can be digitally printed as an advertising/communication tool or for custom design
Printing Compatibility	ECO solvent UV

*Squid® has a service life of 5 years providing that Squid® is correctly installed on a vertical glass surface.

COAL

ASH

CHALK

SQUID

FABRICS & TEXTILES

FRONTLIT

be.tex® ECO DISPLAY - MATTE
POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION
Eco Display is a treated and heat set, fire retardant knitted polyester digital printing textile.

APPLICATIONS
Ideal for frame display systems, pop up displays, roll up displays, x-kite displays and banners.

I internal   **E** external

Roll Widths	260cm & 320cm
Roll Length	100 metres
Nominal Weight	210gsm
Fabric Type	Knitted polyester
Thickness	410 micron
Stretch	Length up to 1-2% Width/Diagonal up to 2-3%
Fire Retardant	DIN EN 13501-1
Printing Compatibility	UV L latex DYE sub direct DYE sub transfer
Cutting	COLD cut
Features	Crease resistant Non fraying

be.tex® GREEN VALUETEX FR

WOVEN POLYESTER TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION
Green Valuetex FR is a woven polyester textile, the yarn is made from 100% recycled plastic bottles. Your green solution!

APPLICATIONS
Ideal for banners, display frame systems, pop-up display systems and table cloths.

I internal   **E** external

Roll Width	320cm
Roll Length	100 metres
Nominal Weight	150gsm
Thickness	320 micron
Fabric Type	Woven 100% polyester
Stretch	Length up to 0.1% Width up to 0.1%
Finish	Matte
Fire Retardant	DIN EN 13501-1
Printing Compatibility	SUB paper DYE sub direct
Cutting	COLD cut HOT cut
Features	Fire Retardant Crease resistant 100% recyclable Soft Non fraying Lays flat Yarn made from 100% recyclable plastic bottles

OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 D09-1028 HOHENSTEIN HTTI Tested for harmful substances. www.oeko-tex.com/standard100

100% recycled yarn

RePET® Recycled Polyester Yarn   F

Global Recycled Standard

be.tex® GREEN REVOLUTION® FR

KNITTED POLYESTER DISPLAY TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

be.tex Green Revolution FR is a knitted polyester display textile. Product made from 100% recycled PET bottles.

APPLICATIONS

Ideal for display frame systems, tablecloths and media walls

I internal

Roll Widths	160cm & 320cm
Roll Length	100 metres
Nominal Weight	180gsm
Thickness	360 micron
Fabric Type	Polyester
Stretch	Length up to 0.8% Width up to 0.6%
Finish	One side Matte, otherside Gloss
Fire Retardant	DIN EN 13501-1
Printing Compatibility	L latex UV SUB paper DYE sub direct
Cutting	COLD cut
Features	Fine structure Excellent crease resistances High opacity Non fraying Colour boost coating

100% recycled yarn   RePET® Recycled Polyester Yarn   Global Recycled Standard

be.tex® MATISSE
COATED POLYESTER FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Matisse is a versatile polyester banner textile ideal for applications where fire retardant textiles are specified.

APPLICATIONS
Ideal for roll up displays, X kite displays, banners and fabric wall murals.

I internal

Roll Width	152cm
Roll Length	30 metres
Nominal Weight	270gsm
Fabric Type	Woven polyester
Thickness	380 micron
Cutting	COLD cut
Fire Retardant	B1
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Fire Retardant B1 Non fraying No curl Dimensionally stable

be.tex® EXPANDABLE
STRETCH POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION
Expandable is a treated and heat set, fire retardant knitted polyester digital printing textile.

APPLICATIONS
Ideal for pop up display systems, frame display systems, tablecloths and chair covers.

I internal   **E** external

Roll Width	320cm
Roll Length	80 metres
Nominal Weight	180gsm
Fabric Type	Knitted polyester
Thickness	430 micron
Stretch	Length up to 3% Width up to 8%
Fire Retardant	DIN EN 13501-1
Printing Compatibility	**L** latex **DYE** sub direct **DYE** sub transfer
Cutting	**COLD** cut
Features	High elasticity Soft handle Non fraying Crease resistant

SOFTIMAGE ELASTICO
STRETCH POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

APPLICATIONS

Ideal for pop up display systems, frame display systems, euro poles systems/displays, tablecloths and chair covers.

I internal **E** external

Roll Width	320cm
Roll Length	100 metres
Nominal Weight	175gsm
Fabric Type	100% Polyester
Fire Retardant	B1 M1
Printing Compatibility	UV DYE sub direct DYE sub transfer
Cutting	COLD cut HOT cut ULTRA sonic
Features	Crease resistant Stretch capacity – up to 13.3% Fire Retardant B1, M1

STARLIGHT DISPLAY FR

KNITTED POLYESTER DISPLAY TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION
Universal knitted textile with some stretch and good opacity.

APPLICATIONS
Ideal for display, pop ups and backdrops.

I internal

Roll Widths	160cm, 250cm & 320cm
Roll Length	50 metres
Nominal Weight	230gsm
Fabric Type	100% Polyester
Stretch	Length up to 1.8% Width up to 1.8%
Finish	Matte
Fire Retardant	B1
Printing Compatibility	UV L latex DYE sub transfer DYE sub direct
Cutting	COLD cut HOT cut
Features	Frontlit display textile Slight stretch Good opacity

ricky GREEN   100% recyclable

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

JULY 2021

POLYCRIL 275

RESIN COATED POLYESTER FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Polycril 275 is an environmentally friendly 100% PVC free material. It is recyclable and its wide width allows seamless wall covering installations, art reproduction and banners.

I internal **E** environmentally friendly **TERRATEX** ♻ PET

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	275gsm
Fabric Type	Resin coated woven polyester fabric - 100 % PVC free
Finish	Matte
Fire Retardant	🔥 B1 🔥 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Environmentally friendly PVC free Crease resistant 100% Recyclable Fire Retardant B1

ricky GREEN

92

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725

Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

SEPTEMBER 2020

FABRICS & TEXTILES

BACKLIT

be.tex® SAMBA® FR

BACKLIT FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION

Coated and heat set, fire retardant woven polyester digital printing textile.

APPLICATIONS

Ideal for light boxes, frame display systems, pop up displays, inflatables, quick shades, parasols and bean bags.

I internal   **E** external

Roll Widths	160cm, 260cm, 320cm & 500cm
Roll Lengths	70m - 160cm 100m - 260cm & 320cm 50m - 500cm
Nominal Weight	195gsm
Fabric Type	Woven polyester
Thickness	230 micron
Stretch	Length up to 1% Width up to 1.4%
Fire Retardant	AS/NZS 3837:1998 fire test DIN EN 13501-1
Printing Compatibility	S solvent ECO solvent UV L latex SUB paper
Cutting	COLD cut
Features	Crease resistant Water tight Air tight Non fraying Excellent lay flat

be.tex® GREEN SAMBA® FR

WOVEN POLYESTER BACKLIT TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

Consisting of yarn obtained from recycled plastic bottles, this printable textile leads the way when it comes to sustainability in the printable textiles industry.

APPLICATIONS

Ideal for light boxes, inflatables, display frame systems, banners, stand construction, bean bags and table cloths.

I internal **E** external

Roll Widths	160cm, 260cm & 320cm
Roll Lengths	70 metres (160cm) 100 metres (260cm & 320cm)
Nominal Weight	195gsm
Fabric Type	Woven 100% polyester
Stretch	Length up to 0.8% Width up to 0.8%
Finish	Matte
Fire Retardant	DIN EN 13501-1
Printing Compatibility	**S** solvent **UV** **L** latex **SUB** paper
Cutting	**COLD** cut **HOT** cut
Features	Fire retardant Air tight 100% recyclable Crease resistant Light diffusion coating Lays flat Non fraying Yarn made from 100% recyclable plastic bottles

OEKO-TEX® STANDARD 100 D09-1028 HOHENSTEIN HTTI Tested for harmful substances. www.oeko-tex.com/standard100

100% recycled yarn

RePET® Recycled Polyester Yarn F

Global Recycled Standard

be.tex® LATFINITY FR

WOVEN POLYESTER BACKLIT TEXTILE
## DESIGNED FOR LATEX INKS

DIGITAL PRINTING TEXTILES

DESCRIPTION
Latfinity FR is a woven polyester backlit textile.

APPLICATIONS
Ideal for display frame systems, light boxes and inflatables.

I internal **E** external

Roll Widths	152cm & 250cm
Roll Length	50 metres
Nominal Weight	140gsm
Fabric Type	Woven 100% polyester
Thickness	150 micron
Stretch	Length up to 1.2% Width up to 1.2%
Finish	Matte
Fire Retardant	DIN EN 13501-1
Printing Compatibility	UV L latex
Cutting	COLD cut
Features	Non fraying Crease resistant Light diffusion coating 100% recyclable New colour boost coating (rich black) designed for Latex inks Fire retardant

OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 HOHENSTEIN HTTI D09-1028 Tested for harmful substances. www.oeko-tex.com/standard100

100% recyclable

Certified for HP Latex Inks

PEARLESCENT BACKLIT FR

WOVEN POLYESTER BACKLIT TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION
Coated lightweight backlit textile with a pearl finish.

APPLICATIONS
Ideal for LED light boxes and frame systems.

I internal

Roll Widths	160cm, 250cm & 320cm
Roll Length	50 metres
Nominal Weight	145gsm
Fabric Type	100% Polyester
Stretch	Length up to 0.6% Width up to 0.6%
Finish	Pearl
Fire Retardant	B1
Printing Compatibility	UV L latex
Cutting	COLD cut HOT cut
Features	Backlit textile Excellent colour No pin hole or show through Lightweight

ricky GREEN

100% recyclable

rickyrichards.com.au

MARCH 2020

AURORA BACKLIT PLUS FR DIRECT DYE

WOVEN POLYESTER BACKLIT TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

Aurora Backlit Plus FR Direct Dye is 100% woven polyester backlit textile. 100% recyclable textile.

APPLICATIONS

Ideal for SEG light boxes and frame systems.

I internal   **E** external

Roll Widths	160cm & 320cm
Roll Length	50 metres
Nominal Weight	190gsm
Finish	Matte
Fire Retardant	🔥 B1
Film	100% polyester
Fabric Type	Polyester
Stretch	Length up to 0.8% Width up to 3.0%
Printing Compatibility	DYE sub direct
Cuttings	COLD cut HOT cut
Features	Backlit textile Excellent colour No pin hole or show through

🔥 fire retardant

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

MARCH 2020

AURORA BACKLIT PLUS FR DIRECT TRANSFER
WOVEN POLYESTER BACKLIT TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION
Aurora Backlit Plus FR Direct Transfer is 100% woven polyester backlit textile. 100% recyclable textile.

APPLICATIONS
Ideal for SEG light boxes and frame systems.

I internal   **E** external

Roll Widths	160cm & 320cm
Roll Length	100 metres
Nominal Weight	190gsm
Finish	Matte
Fire Retardant	🔥 B1
Film	100% polyester
Fabric Type	Polyester
Stretch	Length up to 0.8% Width up to 3.0%
Printing Compatibility	SUB paper
Cuttings	COLD cut HOT cut
Features	Backlit textile Excellent colour No pin hole or show through

🔥 fire retardant

FABRICS & TEXTILES
BLOCKOUT / BLACKBACK

be.tex® SAMBA® OPAQUE FR

BLOCKOUT POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION

Coated and heat set, fire retardant woven polyester digital printing textile.

APPLICATIONS

Ideal for frame display systems, pop up displays, inflatables, quick shades, parasols and bean bags.

REACH COMPLIANCE | I internal | E external

Roll Widths	160cm, 260cm & 320cm
Roll Lengths	50 metres - 160cm 60 metres - 260cm & 320cm
Nominal Weight	255gsm
Fabric Type	Woven blockout polyester
Thickness	270 micron
Stretch	Length up to 0.8% Width up to 0.8%
Fire Retardant	B1
Printing Compatibility	UV L latex (Not recommended for HP Latex 280/L28500)
Cutting	COLD cut
Features	Crease resistant Water tight Air tight Non fraying Blockout Grey backing Excellent layflat

PANTHER BLACK BACK

KNITTED POLYESTER BLOCKOUT TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION
Knitted white/black structure, 100% obscuring rate with slight stretch.

APPLICATIONS
Ideal for backdrops, pop up frames, exhibition and display systems.

internal

Roll Widths	160cm & 320cm
Roll Length	100 metres
Nominal Weight	260gsm
Fabric Type	100% Polyester
Stretch	Length up to 1.8% Width up to 1.8%
Finish	Matte
Fire Retardant	B1
Printing Compatibility	DYE sub transfer DYE sub direct
Cutting	COLD cut HOT cut
Features	Blockout textile Black back backdrop fabric Excellent colour density

ricky GREEN **100% recyclable**

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

MARCH 2020

SOFTIMAGE CONTRAST

BLOCKOUT POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION

Softimage Contrast is a knitted polyester textile with black foam backing.

APPLICATIONS

Ideal for frame display systems, theatre backdrops, hanging banners and projection screens.

I internal

Roll Widths	320cm & 505cm
Roll Length	50 metres
Nominal Weight	230gsm
Fabric Type	Knitted polyester with black foam backing
Fire Retardant	AS/NZS 1530 fire test
Printing Compatibility	UV DYE sub direct DYE sub transfer
Cutting	COLD cut HOT cut ULTRA sonic
Features	Fire Retardant B1 100% Blockout Crease resistant Non fraying

POLYCRIL GW

RESIN COATED POLYESTER BLOCKOUT FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

An environmentally friendly 100% PVC free material that has a grey backing to create full blockout. It is recyclable and its wide width allows seamless wall covering installations. Also perfect for hanging banners.

I internal   **E** environmentally friendly   **TERRATEX** ♻ PET

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	330gsm
Fabric Type	Resin coated woven polyester fabric (Grey back) - 100% PVC free
Finish	Matte
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Environmentally friendly PVC free Full blockout 100% Recyclable Fire Retardant B1

104

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au
SEPTEMBER 2020

FABRICS & TEXTILES

DOUBLE-SIDED

be.tex® BLACKOUT DIRECTO FR

DOUBLE-SIDED WOVEN BLACKOUT TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

Blackout Directo FR is a 100% polyester white blackout textile for double sided printing. Back is coated with a white polyacrylic foam. Perfect for Latex printing.

APPLICATIONS

Ideal for banners, display frame systems, roll-up display systems, backdrops and curtains.

I internal **E** external

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	320gsm
Fabric Type	Woven 100% polyester
Thickness	370 micron
Stretch	Length up to 0.8% Width up to 0.8%
Finish	Matte
Fire Retardant	DIN EN 13501-1
Printing Compatibility	UV L latex SUB paper DYE sub direct
Cutting	COLD cut ULTRA sonic
Features	Fire Retardant No curl Double-sided Crease resistant Scratch resistant Colour boost coating

ricky GREEN   100% recyclable   OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 D09-1028 HOHENSTEIN HTTI Tested for harmful substances. www.oeko-tex.com/standard100

LUNA BLOCKOUT

KNITTED POLYESTER DOUBLE-SIDED BLOCKOUT TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION
Dye sub textile for double-sided printing, white/black/white

APPLICATIONS
Ideal for display frames systems, pop up's and blockout curtains.

I internal

Roll Widths	160cm & 320cm
Roll Length	50 metres
Nominal Weight	260gsm
Fabric Type	100% Polyester
Stretch	Length up to 0.6% Width up to 0.6%
Finish	Matte
Printing Compatibility	DYE sub transfer SUB paper
Cutting	COLD cut HOT cut
Features	Blockout textile Printable both sides Non fraying Crease resistant

ricky GREEN   **100% recyclable**

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

JULY 2020

MESHBLOCK

400GSM COATED DOUBLE-SIDED PRINTABLE PVC MESH

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Meshblock FR can be printed both sides with no show through ideal for pole banners, tradeshow displays, banner stands, perimeter fencing, building wraps and window banners.

I internal **E** external

Roll Widths	160cm, 250cm & 320cm
Roll Length	50 metres
Nominal Weight	400gsm
Finish	Matte
Base Fabric	Woven 840 x 500dtex polyester
Fabric Density	10 x 11 threads per cm^2
Fabric Type	Coated PVC
Fire Retardant	B1
Treatment	UV stabilised Fire retardant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	High strength Excellent ink adhesion Blockout Double-sided

108

FABRICS & TEXTILES

FLAG

be.tex® ECO FLAG

POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION

Eco Flag is a treated and heat set, fire retardant knitted polyester digital printing textile.

APPLICATIONS

Ideal for flags and teardrop banners.

I internal **E** external

Roll Width	160cm
Roll Length	100 metres
Nominal Weight	117gsm
Fabric Type	Knitted polyester
Fire Retardant	B1
Printing Compatibility	UV L latex DYE sub direct DYE sub transfer
Cutting	COLD cut
Features	Outstanding print through Crease resistant Soft handle Non fraying

rickyrichards.com.au

SEPTEMBER 2020

be.tex® FLAG 130
POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION

Flag 130 is a durable heavy weight digital printing textile that is ideal for flags and teardrop banners.

I internal   **E** external

Roll Widths	155cm & 310cm
Roll Lengths	100 metres - 151cm 200 metres - 310cm
Nominal Weight	130gsm
Fabric Type	Knitted polyester
Fire Retardant	B1
Printing Compatibility	UV L latex DYE sub direct DYE sub transfer
Cutting	COLD cut
Features	Durable heavy weight Soft handle Non fraying Crease resistant Anti static Excellent print through effect Fire Retardent B1

AIR MESH 120

PVC FREE MESH FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION
Lightweight polyester PVC free mesh, ideal for Dye Sub printing.

APPLICATIONS
Ideal for banners, flags, beach flags and wall covering.

I internal   **E** external

112

Roll Widths	205cm & 310cm
Roll Length	100 metres
Nominal Weight	115gsm
Fabric Type	100% Polyester
Air Permeability	Open area 6%cm^2
Finish	Digital coating one side / uncoated otherside
Printing Compatibility	UV L latex DYE sub direct SUB paper
Cutting	COLD cut
Tensile Strength (DIN EN ISO 13934-1)	Warp: 30 daN Weft: 35 daN
Tear Resistance (DIN EN ISO 13937-1)	Warp: 14N Weft 13N
Features	PVC free Excellent printability Lightweight Uncoated one side Easy to handle

ricky GREEN

FABRICS & TEXTILES

SPECIALTY

SILENCIO
ACOUSTIC TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

The first acoustic fabric with a three-dimensional look. Not only are the sound waves absorbed, they are also broken up with a positive impact on sound perception. It unites function and aesthetics in a unique fashion, can be digitally printed in high resolution and is ideally suited for a design oriented interior decoration taking acoustic aspects into consideration

APPLICATIONS

State of the art acoustical installations and interior design solutions.

114

I internal

Roll Width	310cm
Roll Length	50 metres
Nominal Weight	300gsm
Thickness	Size 5 - 2mm Size 10 - 4mm
Fabric Type	Woven 100% Trevira CS
Fire Retardant	B1
Printing Compatibility	UV L latex DYE sub direct (Note: only suitable for Direct Textile printers with inline fixation units)
Cutting	HOT cut ULTRA sonic
Features	Produced from permanently flame-retardant Trevira CS Amazing 3 dimensional honeycomb structure Available in 5mm & 10mm rhombus sizes

AKUSTICO
ACOUSTIC TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION

A flexible, yet especially hard-wearing, acoustic textile for sound-optimised interior decoration.
Ideal for producing curtains,ceiling sails and for covering design features with a sound-absorbing function.
The special weaving process ensures a uniform looking surface from any angle.

APPLICATIONS

Sound absorption, upholstery and work station partitions.

I internal

Roll Widths	155cm & 310cm
Roll Length	50 metres
Nominal Weight	270gsm
Fabric Type	Woven polyester
Fire Retardant	B1 M1
Printing Compatibility	UV DYE sub direct DYE sub transfer
Cutting	HOT cut ULTRA sonic
Features	Unique crepe weave Hi scrub and piling resistant Crease resistant Non fraying

SHAPE
SHAPEABLE POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION
For artistic 3 dimensional fabric installations where a completely unique look and feel is required.

I internal

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	200gsm
Fabric Type	50% Polyester / 50% Stainless steel wire
Finish	Mild metallic
Fire Retardant	B1
Printing Compatibility	UV
Cutting	COLD cut
Features	Light diffusive and reflective properties Create 3 dimensional shapes

rickyrichards.com.au

JULY 2020

STRETCHTEX

WOVEN POLYESTER TEXTILE

DIGITAL PRINTING TEXTILES

DESCRIPTION
Stretchtex is a woven polyester that has power stretch.

APPLICATIONS
Ideal for displays, tradeshows and geometric.

I internal

Roll Widths	160cm & 250cm
Roll Length	50 metres
Nominal Weight	230gsm
Fabric Type	100% Polyester
Thickness	300 micron
Stretch	Length up to 18% Width up to 8%
Finish	Matte
Printing Compatibility	DYE sub transfer
Cutting	COLD cut
Features	Easy show display fabric Excellent stretch Crease resistant

ricky GREEN

100% recyclable

TENT TEXTILE

WOVEN POLYESTER PREMIUM TENT FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION
Woven, one side acrylic coated, waterproof.

APPLICATIONS
Ideal for tents, tradeshows, outdoor ad/promotion and outdoor events.

I internal   **E** external

Roll Widths	160cm & 320cm
Roll Length	50 metres
Nominal Weight	280gsm
Fabric Type	100% Polyester
Thickness	400 micron
Stretch	Length up to 0.1% Width up to 0.1%
Finish	Matte
Printing Compatibility	**UV** **L** latex **DYE** sub transfer **DYE** sub direct Print on fabric side only
Cutting	**COLD** cut
Features	Woven One side acrylic coated Waterproof one side

NAPAPRINT
UPHOLSTERY FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Napaprint is an Endutex printable product specially designed for creating custom upholstery, sofas, ottomans and bean bags.

I internal

Roll Width	137cm
Roll Length	50 metres
Nominal Weight	550gsm
Fabric Type	PVC coated knitted polyester
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Soft Flexible High elasticity

LEATHER PRINT
UPHOLSTERY FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Leather Print by Endutex is a printable fabric that has been specifically designed for creating unique indoor décor and furniture pieces like sofas, ottomans or bean bags.

I internal

Roll Width	137cm
Roll Length	50 metres
Nominal Weight	660gsm
Fabric Type	PVC coated polyester knitted fabric
Finish	Leather embossed texure
Treatment	Fire retardant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Contains cotton to increase the softness Flexible Leather emboss texture Fire retardant

120

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

AUGUST 2021

ALUMINATE

METALISED POLYESTER FABRIC

ALUMINATE
METALISED POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION
A woven aluminum face with polyester back.

APPLICATIONS
Ideal for banner stands, roller blinds and event tablecloths.

I internal

Roll Width	152cm
Roll Length	30 metres
Nominal Weight	185gsm
Fabric Type	Woven aluminium face with woven polyester back
Printing Compatibility	**UV** **L** latex **DYE** sub transfer
Cutting	**HOT** cut
Features	Unique material combines metalic look with fabric softness Stunning image quality

CANVAS

FREDRIX SELECT
MATTE ARCHIVAL QUALITY ARTIST CANVAS

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Premium matte artist canvas for fine art reproductions, museum and gallery spaces.

I internal

Roll Widths	137cm, 157cm, 185cm, 264cm & 320cm
Roll Length	22.86 metres
Thickness	444 micron
Weight	340gsm
Fabric Type	65% polyester / 35% cotton
Finish	Matte acrylic top coat
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Archival quality Acid free Wide colour gamut

FREDRIX TARA POLY MATTE
MATTE CANVAS

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Fredrix Tara Poly is a polyester/cotton canvas, ideal for for fine art reproductions, museum and gallery spaces.

I internal

Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	340gsm
Fabric Type	65% Polyester / 35% Cotton
Finish	Matte
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Bright white Art reproduction Photography

125

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au
SEPTEMBER 2021

DISPLAY FILMS

ROLL UP

COMET
SYNTHETIC BLOCKOUT PP FILM

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Comet is a blockout polypropylene, durable synthetic film ideally used for posters and banner systems.

APPLICATIONS
Synthetic film for posters and banner systems.

I internal

Roll Widths	127cm & 152cm
Roll Length	50 metres
Thickness	200 micron
Weight	165gsm
Material	Blockout polypropylene white back
Finish	Satin
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Durable non-crack coating Blockout No curl

MERCURY
SATIN PET FILM

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Ideal for hanging displays, retractable banner systems and posters.

I internal

Roll Width	91.4cm
Roll Length	50 metres
Thickness	330 micron
Film	PET
Finish	Satin
Printing Compatibility	ECO solvent UV L latex
Features	Grey back No curl Scratch resistant 100% PET

GALAXY
DOUBLE SIDED SYNTHETIC BLOCKOUT FILM

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Blockout laminated film for double sided displays.

I internal

130

Roll Widths	127cm & 152cm
Roll Length	50 metres
Nominal Weight	450gsm
Finish	Satin
Material	PVC/PET composite
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Printable both sides

ACCESSORIES

SILICON PROFILE
EDGING

DIGITAL PRINTING TEXTILES

DESCRIPTION

Silicone profile for easy fabric application into light box and display frame systems.

Roll Length	100 metres
Dimensions	14mm (wide) x 3mm (thickness)
Material	Extruded silicon
Features	High elasticity Easier to fold than conventional PVC profile Suitable for sewing to fabric

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au
FEBRUARY 2019

PVC PROFILE
EDGING

DIGITAL PRINTING TEXTILES

DESCRIPTION

PVC profile for easy fabric application into light box and display frame systems.

Roll Length	200 metres
Dimensions	14mm (wide) x 3mm (thickness)
Material	Extruded PVC
Features	Dimensionally stable Suitable for sewing or gluing to fabric

INDEX

135

INDEX

rickyrichards.com.au