

2022 FR DATASHEET CATALOGUE





### **CONTENTS**

RICKYFLEX FR		3
BILD (G FLOOR)		4
be.tex® SAMBA FR		5
POLYCRIL 275		6
POLYCRIL GW		7
BL610 FR		8
SOFTIMAGE CONTRAST		9
DREAMSCAPE WALL COVI	ERINGS	
	White Textures	11 - 26
	Special Effects	28 - 36
	Sustainable	38 - 41
INDEX		43

### FR DATASHEET CATALOGUE



# RICKYFLEX FR MATTE SEMI-COATED BANNER

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**

Rickyflex FR is a premium semi coated front-lit PVC banner ideal for interior & exterior banners and roll up displays.





D. H. W. Jul.	050 000 050 0 500		
Roll Widths	250cm, 320cm, 350cm & 500cm		
Roll Length	55 metres		
Nominal Weight	510gsm		
Base Fabric	Woven 1100dtex polyester		
Fabric Density	8 x 8 threads per cm <sup>2</sup>		
Fabric Type	Semi-coated PVC	Semi-coated PVC	
Finish	Matte		
Treatment	UV stabilised		
Fire Retardant	AS/NZS 1530 fire test		
Printing Compatibility	Ssolvent ECO UV	latex	
Tanaila Chranabh	Warp: 2300	N/5cm DIN 53354 BS 3424 Method 6A	DIN 50054 DC 0404 Mathed 64
Tensile Strength	Weft: 1900		DIIN 33354 BS 3424 METNOO 6A
Taning Chronath	Warp: 240	N/5cm DIN 53356 BS 3424 Method 7A	DIN 52256 DS 2424 Mathod 74
Tearing Strength	Weft: 200		DIN 33330 BS 3424 WELFIOU /A
Features	FR retardant Suitable for medium term outdoor applications Smooth matte finish Knife coated Low curl High strength		





### **BILD**

### LONG TERM PRINTABLE FLOOR COVERING

### **SOLVENT AND UV CURABLE INKJET MEDIA**

#### **APPLICATIONS**

Premium floor graphics ideal for retail POS, trade shows, stage, TV, movie sets, show rooms, museums, convention centres, sports arenas, bars, restaurants and gymnasiums.







Product Finish	Ceramic
Roll Widths	152cm & 304cm
Roll Length	15.24 metres
Nominal Weight	2440gsm
Finish	Matte
Material	Extruded clear PVC sheet
Thickness	1.9mm
Fire Retardant	AS/ISO9239.1 fire test
Printing Compatibility	UV
Features	Reverse side printing Reusable Easy to clean No adhesive necessary Slip, tear, chemical and waterproof

<sup>\*</sup>Sample card available on request.





### be.tex® SAMBA® FR

### **BACKLIT FABRIC**

### **DIGITAL PRINTING TEXTILES**

#### **DESCRIPTION**

Coated and heat set, fire retardant woven polyester digital printing textile.

#### **APPLICATIONS**

Ideal for light boxes, frame display systems, pop up displays, inflatables, quick shades, parasols and bean bags.





Roll Widths	160cm, 260cm, 320cm & 500cm
Roll Lengths	70m - 160cm 100m - 260cm & 320cm 50m - 500cm
Nominal Weight	195gsm
Fabric Type	Woven polyester
Thickness	230 micron
Stretch	Length up to 1% Width up to 1.4%
Fire Retardant	AS/NZS 3837:1998 fire test DIN EN 13501-1
Printing Compatibility	Solvent ECO UV Latex SUB paper
Cutting	COLD
Features	Crease resistant Water tight Air tight Non fraying Excellent lay flat





### POLYCRIL 275

### **RESIN COATED POLYESTER FABRIC**

**SOLVENT, UV CURABLE AND LATEX INKJET MEDIA** 

#### **DESCRIPTION**

Polycril 275 is an environmentally friendly 100% PVC free material. It is recyclable and its wide width allows seamless wall covering installations, art reproduction and banners.





### TERRATEX 🕸

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	275gsm
Fabric Type	Resin coated woven polyester fabric - 100 % PVC free
Finish	Matte
Fire Retardant	AS/NZS 3837:1998 fire test
Printing Compatibility	Ssolvent ECO UV Latex
Features	Environmentally friendly PVC free Crease resistant 100% Recyclable Fire Retardant B1







### **POLYCRIL GW**

### RESIN COATED POLYESTER BLOCKOUT FABRIC

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**

An environmentally friendly 100% PVC free material that has a black backing to create full blockout. It is recyclable and its wide width allows seamless wall covering installations. Also perfect for hanging banners.





### TERRATEX 4

Roll Width	320cm
Roll Length	50 metres
Nominal Weight	330gsm
Fabric Type	Resin coated woven polyester fabric (Black back) - 100% PVC free
Finish	Matte
Fire Retardant	AS/NZS 3837:1998 fire test
Printing Compatibility	Ssolvent ECO UV Latex
Features	Environmentally friendly PVC free Full blockout 100% Recyclable Fire Retardant B1





### **BL610 FR**

### SATIN SMOOTH DOUBLE SIDED FR BLOCKOUT PVC BANNER

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **APPLICATIONS**

Ideal for double sided indoor and outdoor banners.





Roll Widths	250cm, 320cm & 500cm
Roll Length	55 metres
Nominal Weight	610gsm
Base Fabric	Woven 1000dtex polyester
Fabric Density	20 x 20 threads per sq inch
Fabric Type	Semi coated PVC
Finish	Satin
Treatment	UV stabilised
Fire Retardant	AS/NZS 1530 fire test
Printing Compatibility	Ssolvent ECO UV Llatex
Breaking Strength (DIN53354)	Warp: 2200N/50mm Weft: 2550N/50mm
Tearing Strength (DIN53356)	Warp: 350N Weft: 320N
Adhesion (DIN53357)	100N/50mm
Temperature (DIN53372)	-30° to 70°
Features	Fire Retardant B1& AS/NZS 1530 High tear strength Printable both sides Smooth finish Meterage markings





### SOFTIMAGE CONTRAST

### **BLOCKOUT POLYESTER FABRIC**

### **DIGITAL PRINTING TEXTILES**

#### **DESCRIPTION**

Softimage Contrast is a knitted polyester textile with black foam backing.

#### **APPLICATIONS**

Ideal for frame display systems, theatre backdrops, hanging banners and projection screens.



Roll Widths	320cm & 505cm
Roll Length	50 metres
Nominal Weight	230gsm
Fabric Type	Knitted polyester with black foam backing
Fire Retardant	AS/NZS 1530 fire test
Printing Compatibility	UV DYE Sub transfer Sub transfer
Cutting	COLD HOT ULTRA sonic
Features	Fire Retardant B1 100% Blockout Crease resistant Non fraying

### DREAMSCAPE

WHITE TEXTURES







### DREAMSCAPE ARTIST CANVAS

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **APPLICATIONS**



Roll Width	137cm
Roll Lengths	22.86 metres & 45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE BEADS

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **APPLICATIONS**



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE CABRETTA

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **APPLICATIONS**



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE CANVAS

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO Solvent Llatex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

<sup>\*</sup> Only available in jumbo rolls





### DREAMSCAPE HIGH PERFORMANCE CANVAS

# COMMERCIAL GRADE WALL COVERING FOR LATEX PRINTING

### SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

#### **DESCRIPTION**

Optimised for highest level of print consistency with Latex and other inkjet printing systems.





Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	Advanced vinyl formula provides improved dot gain Enhanced physical stability provides deeper colour density Enhanced temperature stability provides greater print uniformity across solid colours Fire rating AS/NZS 3837: 1998





### DREAMSCAPE CRISS CROSS

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE GRASSCLOTH

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**

Embossed wallcovering for long term decoration. Dreamscape Grasscloth has the appearance of a woven grasscloth which provides excellent printability and limitless decorative options.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO Solvent Llatex
Features	Can be installed with commercially available wallpaper adhesives Appearance of a woven grasscloth Excellent printabillity Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998





### DREAMSCAPE MATTE

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998





### DREAMSCAPE HIGH PERFORMANCE MATTE

# COMMERCIAL GRADE WALL COVERING FOR LATEX PRINTING

### SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

#### **DESCRIPTION**

Optimised for highest level of print consistency with Latex and other inkjet printing systems.





Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	Advanced vinyl formula provides improved dot gain Enhanced physical stability provides deeper colour density Enhanced temperature stability provides greater print uniformity across solid colours Fire rating AS/NZS 3837: 1998





### DREAMSCAPE MYSTICAL

### **COMMERCIAL GRADE WALL COVERING**

### SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

#### **DESCRIPTION**



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998





### DREAMSCAPE PIQUE

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV LIATEX
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE PLASTER

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE SANDBLAST

### COMMERCIAL GRADE WALL COVERING

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### **DREAMSCAPE SILK**

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTIONE**



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE SUEDE

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998





### DREAMSCAPE HIGH PERFORMANCE SUEDE

# COMMERCIAL GRADE WALL COVERING FOR LATEX PRINTING

**SOLVENT, UV CURABLE AND LATEX INKJET MEDIA** 

#### **DESCRIPTION**





Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	Advanced vinyl formula provides improved dot gain Enhanced physical stability provides deeper colour density Enhanced temperature stability provides greater print uniformity across solid colours Fire rating AS/NZS 3837: 1998

### **DREAMSCAPE**

SPECIAL EFFECTS







### DREAMSCAPE BLACK FLASH

### **COMMERCIAL GRADE WALL COVERING**

### **UV CURABLE INKJET MEDIA**

#### **APPLICATIONS**

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Polyester/PVC face with polyester non-woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE BLING

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **APPLICATIONS**

Glass bead printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Metallic enriched glass bead embossed PVC with a poly cotton fabric backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	Makes metallic printing a reality Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998





### DREAMSCAPE COPPER FLASH

### **COMMERCIAL GRADE WALL COVERING**

### **UV CURABLE INKJET MEDIA**

#### **APPLICATIONS**

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	<b>♠ B1</b>
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE GOLD FLASH

### **COMMERCIAL GRADE WALL COVERING**

### **UV CURABLE INKJET MEDIA**

#### **APPLICATIONS**

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE PRISMA

### **COMMERCIAL GRADE WALL COVERING**

### SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

#### **DESCRIPTION**

Glitter effect embossed printable wallcovering for long term decoration.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	Eye catching multi coloured sparkle effect Optimised white point Polyester cotton fabric backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE SATARA PEARL

### COMMERCIAL GRADE WALLCOVERING

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **APPLICATIONS**

Embossed brushed finish printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed brushed finish PVC with a non woven polyester backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	Elegant pearl finish looks and feels like fabric Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998





### DREAMSCAPE SATARA STEEL

### **COMMERCIAL GRADE WALL COVERING**

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **APPLICATIONS**

Embossed brushed finish printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed brushed finish PVC with a non woven polyester backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	Sophisticated steel finish looks and feels like fabric Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998





### DREAMSCAPE SILVER FLASH

### **COMMERCIAL GRADE WALL COVERING**

### **UV CURABLE INKJET MEDIA**

#### **APPLICATIONS**

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Lengths	22.86 metres & 45.72 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998





### DREAMSCAPE SILVER ODYSSEY

### **COMMERCIAL GRADE WALL COVERING**

### **UV CURABLE INKJET MEDIA**

#### **APPLICATIONS**

Metallic printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.



Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Embossed polyester/PVC face with polyester non-woven fabric backing
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Combines a stunning silver chrome finish with a deep rich texture Can be installed with commercially available wallpaper adhesives Non-woven polyester backing allows easy installation and removal Fire rating AS/NZS 3837: 1998

# DREAMSCAPE SUSTAINABLE







### DREAMSCAPE NOLAR

# ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

**SOLVENT, UV CURABLE AND LATEX INKJET MEDIA** 

#### **DESCRIPTION**

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments





Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	180gsm
Material	100% Nolar (non-woven fibres and wood plup)
Finish	Smooth
Fire Retardant	<b>♠ B1</b>
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Wood pulp / natural fibre technology Low VOC emitting Can be installed using commercially available wallpaper adhesive FSC sourced materials Breathable and lightweight





### DREAMSCAPE NOLAR SAILCLOTH

# ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

**SOLVENT, UV CURABLE AND LATEX INKJET MEDIA** 

#### **DESCRIPTION**

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.





Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	180gsm
Finish	Light textile embossed
Material	100% Nolar (non-woven fibres and wood plup)
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Latex
Features	PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Wood pulp / natural fibre technology Low VOC emitting Can be installed using commercially available wallpaper adhesive FSC sourced materials Breathable and lightweight





### DREAMSCAPE TERRALON

# ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.





Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	315gsm
Material	100% Terralon (Polyester/natural fibre technology)
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	31% post consumer recycled content PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Breathable-minimises mould & mildew growth Can be installed with commercially available wallpaper adhesives Extremely low VOC's





### DREAMSCAPE TERRALON SMOOTH

## ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

### **SOLVENT, UV CURABLE AND LATEX INKJET MEDIA**

#### **DESCRIPTION**

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.





Roll Width	137cm
Kott Wiutii	107 (111
Roll Length	22.86 metres
Nominal Weight	315gsm
Material	100% Terralon (Polyester/natural fibre technology)
Fire Retardant	AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	Ssolvent ECO UV Llatex
Features	31% post consumer recycled content PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Breathable-minimises mould & mildew growth Can be installed with commercially available wallpaper adhesives Extremely low VOC's

## DREAMSCAPE SUSTAINABLE



The **Dreamscape sustainable** range includes four environmentally friendly wall coverings suitable for commercial projects within medical, childcare and aged-care spaces. These printable wall coverings allow you to create unique artwork on walls and all four textures can be installed with commercially available wallpaper adhesive. They are completely breathable which minimises mould and mildew growth and are fire retardant (AS/NZS 3837:1998). Printing compatibility on Solvent, Eco Solvent, Latex & UV.

Contact your **Print Media** expert today, call **02 9735 3333** 



RICKYFLEX FR	3
BILD (G FLOOR)	
be.tex® SAMBA FR	
POLYCRIL 275	6
POLYCRIL GW	7
BL610 FR	8
SOFTIMAGE CONTRAST	9
DREAMSCAPE - WHITE TEXTURES	
DREAMSCAPE ARTIST CANVAS	11
DREAMSCAPE BEADS	12
DREAMSCAPE CABRETTA	13
DREAMSCAPE CANVAS	14
DREAMSCAPE HIGH PERFROMANCE CANVAS	15
DREAMSCAPE CRISS CROSS	16
DREAMSCAPE GRASSCLOTH	17
DREAMSCAPE MATTE	18
DREAMSCAPE HIGH PERFROMANCE MATTE	19
DREAMSCAPE MYSTICAL	20
DREAMSCAPE PIQUE	21
DREAMSCAPE PLASTER	22
DREAMSCAPE SANDBLAST	23
DREAMSCAPE SILK	24
DREAMSCAPE SUEDE	25
DREAMSCAPE HIGH PERFROMANCE SUEDE	26
DREAMSCAPE - SPECIAL EFFECTS	
DREAMSCAPE BLACK FLASH	28
DREAMSCAPE BLING	29
DREAMSCAPE COPPER FLASH	30
DREAMSCAPE GOLD FLASH	31
DREAMSCAPE PRISMA	32
DREAMSCAPE SATARA PEARL	33
DREAMSCAPE SATARA STEEL	34
DREAMSCAPE SILVER FLASH	35
DREAMSCAPE SILVER ODYSSEY	36
DREAMSCAPE - SUSTAINABLE	
DREAMSCAPE NOLAR	
DREAMSCAPE NOLAR SMOOTH	
DREAMSCAPE TERRALON	40
DREAMSCAPE TERRALON SMOOTH	41





rickyrichards.com.au

