ricky
Print Media

FR
DATASHEET CATALOGUE
2020

CONTENTS

DATASHEET CATALOGUE
2020

GEF-UV
MATTE WHITE PVC FREE SAV

UV INKJET MEDIA

DESCRIPTION
A PVC free self adhesive vinyl ideal for all indoor applications and medium to long term outdoor applications on non-corrugated surfaces.

I internal   **E** external   **E** environmentally friendly

Roll Width	137cm
Roll Length	50 metres
Nominal Weight	100gsm
Film	Grafityp Ecology Film (GEF)
Adhesive	Semi-permanent water base acrylic
Liner	Clay coated 135gsm
Finish	Matte
Outdoor Durability	**5 up to 5yr life span** * (used with GEF matching laminate)
Bundle With	LAM121 (Matte) & LAM170 (Gloss) Non PVC laminates
Fire Retardant	**B1** (Class 1 - BS476 Part 7) **AS/NZS 1530 fire test**
Printing Compatibility	**UV**
Features	Non PVC printable SAV Environmentally friendly Chlorine and plasticiser free

* Please refer to supplier datasheet for more details.

Colibri   ricky GREEN

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au
NOVEMBER 2019

4

GRAFITYP
selfadhesive products

ricky
Print Media

LAM170

GLOSS NON PVC LAMINATE

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

LAM170 intermediate laminating film is the ideal choice for protecting full-colour digitally printed images.

I internal **E** external

Roll Widths	137cm & 152cm
Roll Length	50 metres
Film	80 micron clear gloss GEF (Grafityp ecological film)
Adhesive	Clear permanent water based
Finish	Gloss
Liner	120gsm clay coated paper
Fire Retardant	B1 AS/NZS 1530 fire test
Treatment	UV stabilised FR treated
Outdoor Durability	5 up to 5yr life span *
Features	Clear permanent water based adhesive UV resistant Chemical resistant Excellent dimensional stability Dirt resistant 100% PVC free Fire Retardant B1 Anti-graffiti properties

* Please refer to supplier datasheet for more details.

rickyrichards.com.au

FEBRUARY 2019

RICKYSIGN FR
440GSM LAMINATED FRONTLIT PVC FR BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Ideal for banners, signs and billboards.

2 year uv warranty **I internal** **E external**

Roll Widths	137cm, 160cm, 203cm, 250cm, 320cm & 500cm
Roll Length	50 metres
Nominal Weight	440gsm
Base Fabric	Woven 1000dtex polyester
Fabric Density	9 x 9 threads per cm^2
Fabric Type	Laminated PVC
Finish	Matte & Gloss
Fire Retardant	B1 AS/NZS 1530 fire test
Treatment	UV stabilised
Printing Compatibility	S solvent ECO solvent UV L latex
Features	2 year uv warranty Great outdoor durability Up to 5 metre wide Meterage markings AS/NZS 1530 test

RICKYFLEX

MATTE SEMI-COATED BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Rickyflex is a premium semi coated front-lit PVC banner ideal for interior & exterior banners and roll up displays.

I internal   **E** external

Roll Widths	137cm, 160cm, 210cm 250cm, 320cm, 350cm & 500cm
Roll Length	50 metres - 137cm, 160cm, 210cm 250cm & 320cm 55 metres - 350cm & 500cm
Nominal Weight	510gsm
Base Fabric	Woven 1100dtex polyester
Fabric Density	8 x 8 threads per cm^2
Fabric Type	Semi-coated PVC
Finish	Matte
Treatment	UV stabilised
Fire Retardant	**B1** **AS/NZS 1530 fire test** Only Rickyflex 350cm and 500cm are B1 fire retardant.
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex

Tensile Strength	Warp: 2300	N/5cm	DIN 53354 BS 3424 Method 6A
	Weft: 1900		

Tearing Strength	Warp: 240	N/5cm	DIN 53356 BS 3424 Method 7A
	Weft: 200		

Features	Suitable for medium term outdoor applications Smooth matte finish Knife coated Low curl High strength

FRONT MX

PREMIUM KNIFE COATED PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Front MX is a premium knife coated frontlit PVC ideal for banners and roll up displays. Front MX has superior lay flat and low curl properties and is fire retardant. The acrylic lacquer coating on this fabric provides excellent printability across all ink types.

I internal **E** external

Roll Widths	137cm & 500cm
Roll Length	50 metres
Nominal Weight	550gsm
Base Fabric	Woven 1100dtex polyester
Fabric Density	7 x 7 threads per cm^2
Fabric Type	Double knife coated PVC
Finish	Satin acrylic lacquer
Fire Retardant	AS/NZS 1530 fire test
Treatment	UV stabilised FR treated
Printing Compatibility	S solvent ECO solvent UV L latex
Features	High strength Excellent outdoor durability Low curl

8

be.tex® SAMBA® FR

BACKLIT FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION
Coated and heat set, fire retardant woven polyester digital printing textile.

APPLICATIONS
Ideal for light boxes, frame display systems, pop up displays, inflatables, quick shades, parasols and bean bags.

I internal   **E** external

Roll Widths	160cm, 250cm, 260cm, 320cm & 500cm
Roll Lengths	50m & 70m - 160cm 100m - 250cm, 260cm & 320cm 50m - 500cm
Nominal Weight	195gsm
Fabric Type	Woven polyester
Thickness	230 micron
Stretch	Length up to 1% Width up to 1.4%
Fire Retardant	AS/NZS 3837:1998 fire test DIN EN 13501-1
Printing Compatibility	S solvent ECO solvent UV L latex SUB paper
Cutting	COLD cut
Features	Crease resistant Water tight Air tight Non fraying Excellent lay flat

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

MARCH 2020

BILD
LONG TERM PRINTABLE FLOOR COVERING

SOLVENT AND UV CURABLE INKJET MEDIA

APPLICATIONS

Premium floor graphics ideal for retail POS, trade shows, stage, TV, movie sets, show rooms, museums,convention centres, sports arenas, bars, restaurants and gymnasiums.

I internal   **E** external   slip resistant

Product Finish	Ceramic & Wood Grain
Roll Widths	152cm & 304cm
Roll Length	15.24 metres
Nominal Weight	2440gsm
Finish	Matte
Material	Extruded clear PVC sheet
Thickness	1.9mm
Fire Retardant	AS/ISO9239.1 fire test
Printing Compatibility	UV
Features	Reverse side printing Reusable Easy to clean No adhesive necessary Slip, tear, chemical and waterproof

*Sample card available on request.

POLYCRIL 275

RESIN COATED POLYESTER FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Polycril 275 is an environmentally friendly 100% PVC free material. It is recyclable and its wide width allows seamless wall covering installations, art reproduction and banners.

I internal **E** environmentally friendly **TERRATEX** PET

Roll Widths	250cm, 320cm & 500cm
Roll Length	50 metres
Nominal Weight	275gsm
Fabric Type	Resin coated woven polyester fabric - 100 % PVC free
Finish	Matte
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Environmentally friendly PVC free Crease resistant 100% Recyclable Fire Retardant B1

ricky GREEN

POLYCRIL GW

RESIN COATED POLYESTER BLOCKOUT FABRIC

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

An environmentally friendly 100% PVC free material that has a grey backing to create full blockout. It is recyclable and its wide width allows seamless wall covering installations. Also perfect for hanging banners.

I internal   **E** environmentally friendly   **TERRATEX** PET

Roll Widths	250cm, 320cm & 500cm
Roll Length	50 metres
Nominal Weight	330gsm
Fabric Type	Resin coated woven polyester fabric (Grey back) - 100% PVC free
Finish	Matte
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Environmentally friendly PVC free Full blockout 100% Recyclable Fire Retardant B1

ricky GREEN

BL610 FR

SATIN SMOOTH DOUBLESIDED FR BLOCKOUT PVC BANNER

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Ideal for doublesided indoor and outdoor banners.

I internal   **E** external

Roll Widths	160cm, 203cm, 250cm, 320cm & 500cm
Roll Length	55 metres
Nominal Weight	610gsm
Base Fabric	Woven 1000dtex polyester
Fabric Density	20 x 20 threads per sq inch
Fabric Type	Semi coated PVC
Finish	Satin
Treatment	UV stabilised
Fire Retardant	B1 AS/NZS 1530 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Breaking Strength (DIN53354)	Warp: 2200N/50mm Weft: 2550N/50mm
Tearing Strength (DIN53356)	Warp: 350N Weft: 320N
Adhesion (DIN53357)	100N/50mm
Temperature (DIN53372)	-30° to 70°
Features	Fire Retardant B1& AS/NZS 1530 High tear strength Printable both sides Smooth finish Meterage markings

13

SOFTIMAGE CONTRAST

BLOCKOUT POLYESTER FABRIC

DIGITAL PRINTING TEXTILES

DESCRIPTION
Softimage Contrast is a knitted polyester textile with black foam backing this product is available in 4 widths.

APPLICATIONS
Ideal for frame display systems, theatre backdrops, hanging banners and projection screens.

I internal

Roll Widths	155cm, 250cm, 320cm & 505cm
Roll Length	50 metres
Nominal Weight	230gsm
Fabric Type	Knitted polyester with black foam backing
Fire Retardant	AS/NZS 1530 fire test
Printing Compatibility	UV DYE sub direct DYE sub transfer
Cutting	COLD cut HOT cut ULTRA sonic
Features	Fire Retardant B1 100% Blockout Crease resistant Non fraying

DREAMSCAPE

WHITE TEXTURES

DREAMSCAPE ARTIST CANVAS

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE BEADS
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

17

DREAMSCAPE CABRETTA

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE CANVAS
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres / 45.72* metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

* Available in jumbo rolls

DREAMSCAPE CRISS CROSS
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE MATTE
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	45.72 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with non woven polyester backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

DREAMSCAPE MYSTICAL
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	**B1** **AS/NZS 3837:1998 fire test**
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

rickyrichards.com.au

DREAMSCAPE PIQUE

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester non woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE PLASTER
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	**B1** AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

rickyrichards.com.au

FEBRUARY 2019

DREAMSCAPE SANDBLAST

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	**B1** AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE SILK

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTIONE

Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Cotton polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE SUEDE
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
Embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC with a poly cotton fabric backing
Fire Retardant	**B1** AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	**S** solvent **ECO** solvent **UV** **L** latex
Features	Can be installed with commercially available wallpaper adhesives Optimised white point for superior imaging Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
Information contained in this brochure is accurate and based on the latest product information available at the time of printing.
While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.

rickyrichards.com.au

FEBRUARY 2019

DREAMSCAPE

WALL WRAPS

DREAMSCAPE CLASSIC

SELF ADHESIVE WALL WRAPS

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Ideal for temporary wall graphics, trade show exhibits, retail displays, seasonal and event themes.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Thickness	375 micron smooth PVC
Adhesive	Removable acrylic based
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Repositionable peel and stick 3 times thicker than conventional vinyl films Easy to apply and remove with no residue No overlamination required Superior durability and no stretch Fire rating AS/NZS 3837: 1998

DREAMSCAPE BRILLIANT
SELF ADHESIVE WALL WRAPS

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Ideal for temporary wall graphics, trade show exhibits, retail displays, seasonal and event themes

Roll Width	137cm
Roll Length	22.86 metres
Film	375 micron textured metallic PVC
Adhesive	Low tack repositionable
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Repositionable 3 times thicker than conventional vinyl films Easy to apply and remove with no residue No overlamination required Superior durability and no stretch Fire rating AS/NZS 3837: 1998

rickyrichards.com.au

30

DREAMSCAPE CAVIAR

SELF ADHESIVE WALL WRAPS

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Ideal for temporary wall graphics, trade show exhibits, retail displays, seasonal & event themes.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Film	375 micron textured PVC
Adhesive	Low tack repositional
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Repositionable peel and stick 3 times thicker than conventional vinyl films No overlamination required Superior durability and no stretch Fire rating AS/NZS 3837: 1998

DREAMSCAPE RAVELLO

SELF ADHESIVE WALL WRAPS

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Ideal for temporary wall graphics, trade show exhibits, retail displays, seasonal and event themes.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Film	375 micron textured PVC
Adhesive	Removable acrylic based - FR treated
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Repositionable peel and stick 3 times thicker than conventional vinyl films No overlamination required Superior durability and no stretch Fire rating AS/NZS 3837: 1998

DREAMSCAPE

SPECIAL EFFECTS

DREAMSCAPE BLACK FLASH

COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Polyester/PVC face with polyester non-woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non woven polyester backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE BLING
COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Glass bead printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Metallic enriched glass bead embossed PVC with a poly cotton fabric backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Makes metallic printing a reality Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

DREAMSCAPE COPPER FLASH
COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

36

DREAMSCAPE GOLD FLASH
COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE PRISMA

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

Glitter effect embossed printable wallcovering for long term decoration.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed PVC face with polyester cotton woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Eye catching multi coloured sparkle effect Optimised white point Polyester cotton fabric backing provides easy hanging and removal Can be installed using commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE SATARA PEARL

COMMERCIAL GRADE WALLCOVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed brushed finish printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres / 45.72* metres
Nominal Weight	440gsm
Material Backing	Embossed brushed finish PVC with a non woven polyester backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Elegant pearl finish looks and feels like fabric Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

* Available in jumbo rolls

DREAMSCAPE SATARA STEEL

COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

APPLICATIONS

Embossed brushed finish printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material Backing	Embossed brushed finish PVC with a non woven polyester backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	Sophisticated steel finish looks and feels like fabric Can be installed with commercially available wallpaper adhesives Fabric backing provides easy installation Fire rating AS/NZS 3837: 1998

rickyrichards.com.au

FEBRUARY 2019

DREAMSCAPE SILVER FLASH

COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Premium reflective printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Polyester/PVC face with polyester non-woven backing
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	UV
Features	Non-woven polyester backing providing easy hanging & removal Can be installed with commercially available wallpaper adhesives Heavy duty commercial grade for long term decoration Fire rating AS/NZS 3837: 1998

DREAMSCAPE SILVER ODYSSEY

COMMERCIAL GRADE WALL COVERING

UV CURABLE INKJET MEDIA

APPLICATIONS

Metallic printable wallcovering ideal for wall graphics, wide format murals and interior decor for retail, hospitality, corporate, tradeshow/museum displays. Especially effective in nightclubs, bars, restaurants & hotels.

I internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	440gsm
Material	Embossed polyester/PVC face with polyester non-woven fabric backing
Fire Retardant	**B1** **AS/NZS 3837:1998 fire test**
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	**UV**
Features	Combines a stunning silver chrome finish with a deep rich texture Can be installed with commercially available wallpaper adhesives Non-woven polyester backing allows easy installation and removal Fire rating AS/NZS 3837: 1998

42

DREAMSCAPE

SUSTAINABLE

DREAMSCAPE NOLAR

ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments

E environmentally friendly   **I** internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	180gsm
Material	100% Nolar (non-woven fibres and wood plup)
Finish	Smooth
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Wood pulp / natural fibre technology Low VOC emitting Can be installed using commercially available wallpaper adhesive FSC sourced materials Breathable and lightweight

44

DREAMSCAPE NOLAR SAILCLOTH

ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION

PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.

E environmentally friendly   **I** internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	180gsm
Finish	Light textile embossed
Material	100% Nolar (non-woven fibres and wood plup)
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Wood pulp / natural fibre technology Low VOC emitting Can be installed using commercially available wallpaper adhesive FSC sourced materials Breathable and lightweight

45

DREAMSCAPE TERRALON
ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.

E environmentally friendly   **I** internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	315gsm
Material	100% Terralon (Polyester/natural fibre technology)
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	31% post consumer recycled content PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Breathable-minimises mould & mildew growth Can be installed with commercially available wallpaper adhesives Extremely low VOC's

DREAMSCAPE TERRALON SMOOTH

ENVIRONMENTALLY FRIENDLY COMMERCIAL GRADE WALL COVERING

SOLVENT, UV CURABLE AND LATEX INKJET MEDIA

DESCRIPTION
PVC free eco-friendly digitally printable wallcovering for architectural and medical environments.

E environmentally friendly   **I** internal

Roll Width	137cm
Roll Length	22.86 metres
Nominal Weight	315gsm
Material	100% Terralon (Polyester/natural fibre technology)
Fire Retardant	B1 AS/NZS 3837:1998 fire test
Treatment	FR treated Mould, mildew & fungal resistant
Printing Compatibility	S solvent ECO solvent UV L latex
Features	31% post consumer recycled content PVC, plasticiser, phthalates, chlorine, halogen, heavy metal & formaldehyde free Breathable-minimises mould & mildew growth Can be installed with commercially available wallpaper adhesives Extremely low VOC's

47

INDEX

ricky RICHARDS

Technical Textiles | Sun Control | Print Media