



PRINT MEDIA CATALOGUE 2025

FEATURING

PVC BANNERS


FLOOR GRAPHICS

WALL COVERINGS

ARTIST CANVAS

FABRICS

ACCESSORIES



EXPLORE
PRINT
MEDIA

YOU CAN RELY ON RICKY

A NATION-WIDE OPERATIONAL NETWORK

EXPERT CUSTOMER SERVICE | QUALITY PRODUCT | SPEEDY DELIVERY

PAKENHAM, VIC

SERVICING VIC, TAS,
SA & WA

GEEBUNG, QLD

SERVICING QLD, NT
& NORTHERN NSW

VILLAWOOD, NSW

SERVICING NSW



CONTENTS

PVC BANNER

FRONTLIT	03-04
BACKLIT	05
BLOCKOUT	06-08
MESH	09-10

FLOOR GRAPHICS

G-FLOOR™	11
----------	----

WALL COVERINGS

DREAMSCAPE® TYPE I	12
DREAMSCAPE® TYPE II	13
DREAMSCAPE® TYPE III	14
DREAMSCAPE® SPECIAL EFFECTS	15
DREAMSCAPE® SUSTAINABLE	16
DREAMSCAPE® WALLWRAPS	17

ARTIST CANVAS

FREDRIX® SELECT	18
-----------------	----

FABRICS

FRONTLIT	19-21
BACKLIT	22-24
BLOCKOUT / BLACKBACK DOUBLE SIDED	25-26
FLAG	27

ACCESSORIES

SILICONE PROFILE	28
------------------	----



RICKYFLEX

510GSM MATTE SEMI-COATED BANNER

Rickyflex is a premium semi-coated front-lit PVC banner ideal for interior and medium-term exterior applications and for roll-up displays. Rickyflex is highly durable, low curl and has a smooth matte finish.

Applications



Premium
Banners



Roll-up
Banners



Matte

Roll Widths	137cm, 160cm, 210cm
Roll Length	50m
Weight	510gsm
Denier	1000 x 1000
Density	20 x 20 threads per inch ²
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex

RICKYFLEX FR

510GSM MATTE SEMI-COATED BANNER

Rickyflex is a premium semi-coated front-lit PVC banner ideal for interior and medium-term exterior applications and for roll-up displays. Rickyflex is highly durable, low curl and has a smooth matte finish. This version is fire retardant.

Applications



Premium
Banners




Roll-up
Banners



Matte

Roll Widths	250cm, 320cm, 500cm
Roll Length	50m
Weight	510gsm
Denier	1000 x 1000
Density	20 x 20 threads per inch ²
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex




RICKYTRANS


510 GSM BACKLIT SEMI-COATED FLEXFACE PVC BANNER

Rickytrans is a semi-coated backlit PVC banner ideal for backlit signs. It is highly durable in outdoor environments and is matte in finish.

Applications



Backlit
Billboards



Matte

Roll Width	320cm
Roll Length	50m
Weight	510gsm
Denier	1000 x 1000
Density	18 x 18 threads per inch ²
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex

USB ULTRA SMOOTH BLOCKOUT

440GSM MATTE SEMI-COATED PVC BANNER

USB is an ultra smooth blackout banner fabric suitable for indoor and short term outdoor projects. It is UV stabilised and boasts excellent lay flat and printability on both sides.

Applications




Roll-up
Banners



Fixed
Banners




Display
Screens



Matte

Roll Widths	137cm, 160cm, 250cm, 320cm
Roll Length	50m
Weight	440gsm
Denier	250 x 250
Density	36 x 36 threads per inch ²
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex



BL610

610GSM SATIN BLOCKOUT PVC BANNER

BL610 is a double sided satin blockout PVC ideal for indoor and outdoor banners. It features high tear strength, meterage markings, and a smooth finish.


Applications



Indoor
Banners



Outdoor
Banners



Satin

Roll Widths	137cm, 160cm, 203cm, 250cm, 320cm, 500cm
Roll Length	50m
Weight	610gsm
Denier	1000 x 1000
Density	20 x 20 threads per inch ²
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex

BL610 FR

610GSM SATIN BLOCKOUT PVC BANNER

BL610 is a double sided satin blockout PVC ideal for indoor and outdoor banners. It features high tear strength, meterage markings, and a smooth finish. This version is fire retardant.


Applications



Indoor
Banners



Outdoor
Banners



Satin

Roll Widths	250cm, 320cm, 500cm
Roll Length	55m
Weight	610gsm
Denier	1000 x 1000
Density	20 x 20 threads per inch ²
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex



BACKLINER MESH PLUS

270GSM PVC COATED POLYESTER MESH WITH A LINER

Backliner Mesh is a PVC coated polyester mesh ideal for applications that require light or wind to filter through. The release liner allows banners to be printed without ink flow through. Backliner Mesh is strong and allows for superior image quality.

Applications



Perimeter Fencing




Building Wraps



Window Banners



Display Screens



Matte

Roll Widths	137cm, 160cm, 250cm
Roll Length	50m
Weight	270gsm
Denier	1000 x 1000
Density	12 x 12 threads per inch ²
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex

PROMOMESH FR

270GSM FIRE RETARDANT PVC COATED MESH

A PVC coated mesh ideal for perimeter fencing, building wraps, window banners, and display banners. Promomesh FR is strong, durable, and fire retardant.

Applications



Perimeter Fencing




Building Wraps



Window Banners



Display Screens



Matte

Roll Sizes	160cm x 110m, 180cm x 110m, 320cm x 55m, 500cm x 55m
Weight	270gsm
Denier	1000 x 1000
Density	12 x 12 threads per inch ²
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex



G-FLOOR™

2440GSM LONG-TERM FLOORING

Long-term premium floor graphics ideal for retail POS, trade shows, stage, TV, movie sets, show rooms, museums, convention centres, sports arenas, bars, restaurants and gymnasiums. G-Floor is reusable, easy to clean and doesn't require adhesives.

Applications



Retail & Hospitality



Trade Shows & Show Rooms



Stages, TV Sets & Movie Sets



Museums & Galleries



Ceramic Matte

Roll Widths	152cm, 304cm
Roll Length	18.59m
Weight	2440gsm
Thickness	1.9mm
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable

DreamScape®

TYPE I WALL COVERINGS

130Z / 300GSM


COMMERCIAL GRADE WALL COVERINGS

A light weight, embossed wall covering for long term decoration. DreamScape Type I wall coverings are cost effective and suitable for most commercial applications. These products should be installed with commercial grade adhesives.

Applications




Wall Coverings




Matte



Canvas



Mystical



Suede

Roll Width	137cm
Roll Length	45.72m
Weight	130Z / 300gsm
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex



DreamScape®

TYPE II WALL COVERINGS 200Z / 440GSM
COMMERCIAL GRADE WALL COVERINGS

A medium weight, embossed wallcovering for long term decoration. DreamScape Type II wallcoverings are cost effective and suitable for most commercial applications. These products should be installed with commercial grade adhesives.

Applications  Wall Coverings




Roll Width	137cm
Roll Length	45.72m
Weight	200Z / 440gsm
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex

DreamScape®

TYPE III WALL COVERINGS 350Z / 793GSM
COMMERCIAL GRADE WALL COVERINGS

A heavy duty, embossed wallcovering for high traffic environments. DreamScape Type III wallcoverings are durable and suitable for most commercial applications. These products should be installed with commercial grade adhesives.

Applications  Wall Coverings



Roll Width	137cm
Roll Length	45.72m
Weight	350Z / 793gsm
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex



DreamScape® **SPECIAL EFFECTS** 440GSM
COMMERCIAL GRADE WALL COVERINGS

DreamScape Special Effects offers a premium range of high quality, reflective wall coverings. With its superior finish, this collection is ideal for creating striking wall graphics and impressive wide-format murals.

Applications

 Wall Coverings



Gold Flash



Satara Steel

Roll Width	137cm
Roll Length	45.72m
Weight	440gsm
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex

DreamScape® **SUSTAINABLE** 315GSM & 457GSM
COMMERCIAL GRADE WALL COVERINGS


DreamScape Sustainable offers an eco-friendly solution for stunning and durable wall graphics, featuring a range of sustainable materials to minimise environmental impact without compromising on quality.

Applications

 Wall Coverings




Terralon



Novalon


Roll Width	137cm
Roll Length	45.72m
Weight	Terralon: 315gsm, Novalon: 457gsm
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex




DreamScape **WALLWRAPS** 280 & 330 MICRON
COMMERCIAL GRADE WALL COVERINGS

The DreamScape Wallwrap range is an easy to apply, self-adhesive printable wallpaper. There is no overlamination required, no stretch and can be re-applied multiple times. It is 2-4 times thicker and more durable than other wraps.

Applications



Classic



Caviar

Roll Width	137cm
Roll Length	45.72m
Weight	Classic: 280 micron, Caviar: 330 micron
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex

FREDRIX® SELECT ARTIST CANVAS
340GSM MATTE ARCHIVAL QUALITY ARTIST CANVAS

Fredrix Select is a 65% polyester / 35% cotton artist canvas with a matte acrylic top coating. It is ideal for fine art reproductions, and museum and gallery displays.


Applications



Fine Art Reproductions



Museum & Gallery Displays



Matte

Roll Widths	137cm, 157cm, 185cm, 264cm, 320cm
Roll Length	22.86m
Weight	340gsm
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable



STARLIGHT DISPLAY FR


230GSM FIRE RETARDANT KNITTED POLYESTER DISPLAY TEXTILE

A printable textile ideal for front lit banners and frame systems. Starlight Display FR is a recyclable polyester with a slight stretch and good opacity.

- Applications
- Display Systems
- Banners
- LED Light Boxes



Roll Width	320cm
Roll Length	50m
Weight	230gsm
Printing Compatibility	Dye Sub Direct, Dye Sub Transfer, UV Gel & Curable, Latex



be.tex® ECO DISPLAY FR

210GSM FIRE RETARDANT KNITTED POLYESTER TEXTILE

Eco Display FR is a treated and heat set, fire retardant knitted polyester digital printing textile.

- Applications
- Frame Systems & Pop-up Displays

Banners

Roll-Up Banners

X-Kites



Roll Widths	260cm, 320cm
Roll Length	100m
Weight	210gsm
Printing Compatibility	Dye Sub Direct, Dye Sub Transfer, UV Gel & Curable, Latex



be.tex® EXPANDABLE

180GSM FIRE RETARDANT KNITTED POLYESTER TEXTILE

A heat set, fire retardant knitted polyester digital printing textile with high elasticity.

Applications

Frame Systems & Pop-up Displays


Table-cloths

Chair Covers



Matte

Roll Width	320cm
Roll Length	80m
Weight	180gsm
Printing Compatibility	Dye Sub Direct, Dye Sub Transfer



AURORA BACKLIT PLUS FR

190GSM FIRE RETARDANT WOVEN POLYESTER TEXTILE

A high performance, fire retardant polyester backlit textile designed to deliver evenly illuminated graphics for indoor and outdoor signage. Aurora is 100% recyclable.

Applications


SEG Light Boxes

Frame Systems



Matte

Roll Width	320cm
Roll Length	100m
Weight	190gsm
Printing Compatibility	Dye Sub Direct, Dye Sub Transfer, UV Gel & Curable, Latex



be.tex® SAMBA® FR

195GSM FIRE RETARDANT WOVEN BACKLIT POLYESTER TEXTILE

Coated, fire retardant woven polyester digital printing textile. Ideal for light boxes, frame systems, pop-up displays, inflatables, and bean bags.

Applications



SEG
Light
Boxes




Frame
Systems



Pop-up
Displays



Inflatables
& Bean Bags



Matte

Roll Sizes	160cmx 70m, 260cm x 100m, 320cm x 100m, 500cm x 50m
Weight	195gsm
Printing Compatibility	Solvent, Eco-Solvent, UV Gel & Curable, Latex

be.tex® LUMINA FR

190GSM FIRE RETARDANT BACKLIT TEXTILE

Coated, fire retardant woven polyester digital printing textile. Ideal for light boxes, frame systems, and pop-up displays

Applications



SEG
Light
Boxes



Frame
Systems




Pop-ups
Displays



Matte

Roll Width	160cm, 320cm
Roll Length	100m
Weight	190gsm
Printing Compatibility	Dye Sub Direct, Dye Sub Transfer, UV Gel & Curable, Latex



PANTHER BLACKBACK

260GSM FIRE RETARDANT POLYESTER BLOCKOUT TEXTILE

Panther Blackback is a knitted polyester blockout textile with black foam backing. Ideal for backdrops, pop-up frames, exhibitions, display systems.

Applications

-  Backdrops
-  Pop-up Frames
-  Exhibitions
-  Display Systems



Matte with Black Backing

Roll Width	320cm
Roll Length	100m
Weight	260gsm
Printing Compatibility	Dye Sub Direct, Dye Sub Transfer, UV Gel & Curable, Latex




SOFTIMAGE CONTRAST

220GSM FIRE RETARDANT POLYESTER BLOCKOUT TEXTILE

Softimage Contrast is a knitted polyester blockout textile with black foam backing. Ideal for backdrops, pop-up frames, and display systems.


Applications

-  Backdrops
-  Pop-up Frames
-  Display Systems



Matte with Black Backing

Roll Width	320cm, 505cm
Roll Length	50m
Weight	220gsm
Printing Compatibility	Dye Sub Direct, Dye Sub Transfer, UV Gel & Curable, Latex



be.tex[®] FLAG 130
130GSM FIRE RETARDANT KNITTED POLYESTER FABRIC

Flag 130 is a durable knitted polyester fabric that is ideal for flags and teardrop banners. Flag 130 is heavy weight, crease resistant and anti-static.

- Applications

Flags



Matte

Roll Width	310cm
Roll Length	200m
Weight	130gsm
Printing Compatibility	Dye Sub Direct, Dye Sub Transfer, UV Gel & Curable, Latex

SILICONE PROFILE
3MM THICK SILICONE PROFILE EDGING

Silicone profile edging for easy fabric application into light boxes and display frame systems.

- Applications

Light Box
Profile
Edging

Frame System
Profile Edging



Silicone

Roll Width	14mm
Roll Length	100m
Thickness	3mm



EXPLORE THE
 W HOTEL CASE
 STUDY



READ THE
 DREAMSCAPE®
 WHITEPAPER



Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
1300 RICKYS (1300 742 597)
sales@rickyrichards.com.au
rickyrichards.com.au

JANUARY 2025

Information contained in this brochure is accurate and based on the latest product information available at the time. Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.



**EXPLORE
PRINT
MEDIA**