



2021
DATASHEET
CATALOGUE





CONTENTS

MESH PVC FABRICS	3
CANVAS FABRICS	9
SOLUTION DYED ACRYLIC	11
BINDING	14
CALENDERED PVC FABRICS	17
POLYESTER FABRICS	20
SELF ADHESIVE TRANSPARENT WINDOW TEXTILE	23
INDEX	25

DATASHEET CATALOGUE

2021

MESH PVC PRODUCTS





OUTLOOK MODE

PHIFER INCORPORATED

PVC MESH

APPLICATIONS

Ideal for internal and external blinds, awnings and umbrellas.

Roll Widths	220cm▼, 275cm & 320cm	
Roll Length	30 metres	
Nominal Weight	540gsm	
Colours	502 Surfmist®*, 539 Shale Grey™*, 564 Platinum, 526 Greystone, 551 Ash, 540 Woodland Grey®, 538 Windspray®, 541 Basalt®, 542 Monument®, 544 Eclipse▼, 510 Moonlight, 509 Flint▼, 553 Blackstone▼, 517 Chalk, 572 Porcelain, 508 Nougat, 529 Wheat, 575 Marzipan, 566 Alpaca, 504 Spice, 511 Macchiato, 507 Bamboo, 533 Mocha, 505 Silver Sky, 503 Deep Sea, 580 Pale Eucalypt®, 559 Forest Green & 597 Maroon	
Fabric Type	2 x 2 weave, PVC coated polyester mesh	
Openness	5%	
Shade Cover	95%	
Treatment	UV stabilised & FR treated	
Tensile Strength [AS 2001.2.3.1-2001]	Warp: 3225N/50mm Weft: 2180N/50mm	
Elongation at Break	Warp: 29% Weft: 26%	
Wing Rip [AS 2001.2.10-1986]	Warp: 161/N Weft: 119/N	
Printing Compatibility	  	
Features	Reduce solar heat gain by up to 99% Microban Dow ecolibrium Lead free	10 year warranty Greenguard gold Fire retardant

Outlook Mode fabric care, cleaning instructions and warranty information are available by request.

*Inspired by COLORBOND®

▼Available in 220cm width



MODE PRIVACY

PHIFER INCORPORATED

PVC MESH

APPLICATIONS

Ideal for external blinds and awnings.

Roll Width	320cm
Roll Length	20 metres
Nominal Weight	650gsm
Colours	411 Basalt [®] , 401 Gunmetal, 412 Monument [®] , 403 Storm, 408 Shadow, 400 Ebony, 407 Black Opal, 404 Paperbark, 409 Colorado, 402 Chestnut, 406 Desert & 410 Cotton
Fabric Type	2 x 2 weave, PVC coated polyester mesh
Openness	1%
Shade Cover	99%
Treatment	UV stabilised & FR treated
Features	Reduce solar heat gain by up to 99% 10 year warranty Microban Greenguard gold Dow ecolibrium Fire retardant Lead free

Outlook Mode Privacy fabric care, cleaning instructions and warranty information are available by request.

*Inspired by COLORBOND[®]



MODE TEXTURES

PHIFER INCORPORATED

PVC MESH

APPLICATIONS

Ideal for internal and external blinds and awnings.

Roll Width	320cm
Roll Length	30 metres
Nominal Weight	540gsm
Colours	909 Stucco, 900 Milky Topaz, 901 Golden Glow, 902 Havana, 903 Smokey Quartz, 905 Peppermint, 906 Blue Zircon & 907 Aniseed
Fabric Type	2 x 2 weave, PVC coated polyester mesh & Bi-colour yarn
Openness	5%
Shade Cover	95%
Treatment	UV stabilised & FR treated
Features	Reduce solar heat gain by up to 99% 10 year warranty Microban Greenguard Gold Dow Ecolibrium Fire retardant Lead free

Outlook Mode Textures fabric care, cleaning instructions and warranty information are available by request.



MODE ZERO




PHIFER INCORPORATED

PVC MESH

DESCRIPTION

Outlook Mode Zero is a visual blackout mesh ideal for external blinds and awnings. With **ZERO % openness** it provides complete privacy and the ultimate protection from the sun. You control the heat, wind and rain by keeping your blinds opened or closed. Leave them half way to retain your view and keep shade over your extended living area.

Ideal for internal and external blinds, awnings and umbrellas.

Roll Width	320cm												
Roll Length	30 metres												
Nominal Weight	650gsm												
Colours	553 Blackstone, 542 Monument [®] , 541 Basalt [®] , 564 Platinum, 517 Chalk & 566 Alpaca												
Fabric Type	2 x 2 weave, PVC coated polyester mesh												
Openness	0%												
Shade Cover	100%												
Treatment	UV stabilised & FR retardant (AS 1530.2-1993 & AS/NZS 1530.3-1999)												
Tensile Strength [AS 2001.2.3.1-2001]	Warp: 980N/50mm Weft: 3600N/50mm												
Elongation at Break	Warp: 19.5% Weft: 34.5%												
Wing Rip [AS 2001.2.10-1986]	Warp: 58.1/N Weft: 19.9/N												
Printing Compatibility	  												
Features & Benefits	<table border="0"> <tr> <td>100% visual blackout</td> <td>Greenguard gold</td> </tr> <tr> <td>10 year warranty</td> <td>Microban[®]</td> </tr> <tr> <td>Reduce solar heat gain</td> <td>Dow ecolibrium[™]</td> </tr> <tr> <td>UV stabilised</td> <td>Lead free</td> </tr> <tr> <td>Colorbond[®] colours available</td> <td>Fire retardant (AS 1530.2-1993 & AS/NZS 1530.3-1999)</td> </tr> <tr> <td>Printable</td> <td></td> </tr> </table>	100% visual blackout	Greenguard gold	10 year warranty	Microban [®]	Reduce solar heat gain	Dow ecolibrium [™]	UV stabilised	Lead free	Colorbond [®] colours available	Fire retardant (AS 1530.2-1993 & AS/NZS 1530.3-1999)	Printable	
100% visual blackout	Greenguard gold												
10 year warranty	Microban [®]												
Reduce solar heat gain	Dow ecolibrium [™]												
UV stabilised	Lead free												
Colorbond [®] colours available	Fire retardant (AS 1530.2-1993 & AS/NZS 1530.3-1999)												
Printable													

*Inspired by COLORBOND[®]



OUTLOOK DESIGNS

PHIFER INCORPORATED

PVC MESH

APPLICATIONS

Ideal for external blinds, awnings and umbrellas.

Roll Width	275cm
Roll Length	30 metres
Nominal Weight	490gsm
Colours	640 Zebra, 644 Nambucca, 662 Modena, 678 Castaway, 618 Wanda, 605 Ironbark, 636 Stradbroke, 672 Federation, 648 Daintree, 625 Palm Beach, 654 Tundra & 642 Gumleaf
Fabric Type	2 x 1 weave, PVC coated polyester mesh
Openness	12%
Shade Cover	88%
Treatment	UV stabilised
Tensile Strength [AS2001.2.3.1-2001]	Warp: 2675N/50mm Weft: 1145N/50mm
Elongation at Break	Warp: 28% Weft: 29%
Wing Rip [AS2001.2.10-1986]	Warp: 171N Weft: 103N
Features	Reduce solar heat gain by up to 99% 10 year warranty Microban Greenguard Gold Dow Ecolibrium Lead free

Outlook Designs fabric care, cleaning instructions and warranty information are available by request.



CANVAS FABRICS



BARRINGTON®

WAX CONVERTERS TEXTILES

CANVAS FABRIC

APPLICATIONS

Ideal for blinds and awnings.

Roll Width	220cm
Roll Length	30 metres
Nominal Weight	540gsm +/- 5%
Colours	Artisan - 17 Contemporary Designs - <i>Artisan fabrics have a unique grey colour on the reverse side</i> 300 KURRI KURRI, 302 MERIDIAN, 303 NORMANDY, 304 BRANFORD, 305 MALIBU, 306 ESPERANCE, 307 BRAXTON, 308 JUNIPER, 309 SANGRIA, 310 TUSCANY, 311 FAIRHAVEN, 314 BANKSIA, 315 SHALIMAR, 316 HAMPTON, 317 TWILIGHT, 318 GLACIER & 321 SANTORINI
	Jubilee - 8 Traditional Designs - <i>Jubilee fabrics have a traditional green colour on the reverse side</i> 100 ASANA, 101 FREEMONT, 102 SOHO, 103 MAISON, 104 FLORENCE, 105 BANDON, 106 SAVANNAH & 107 LOGAN
	Colours - 18 Vibrant Colours - <i>Colours are the same colour on both the front & reverse sides</i> 220 SURFMIST®, 210 ALABASTER, 213 SANDCASTLE, 205 CANYON, 219 JASPER®, 200 HAZELNUT, 206 COFFEE, 202 MERLOT, 207 ALPINE, 208 FEDERATION, 212 ADMIRAL, 214 BLUESTONE, 215 STERLING, 209 MINNOW, 218 BASALT®, 217 WOODLAND GREY®, 204 MONUMENT® & 201 MIDNIGHT
Fabric Type	52 /48 Poly/Cotton Canvas
Tear Resistance (Wing Rip) - AS2001.2.10	Warp: 70N Weft: 45N
Breaking Force (Strip Tensile) - AS2001.2.3.1	Warp: 2500 N/50mm Weft: 1700 N/50mm
Shrinkage	Warp: 3% Weft: 0%
Features	100% Australian made Poly/Cotton Canvas Reduce solar heat gain Assist indoor climate control Contribute to energy savings Low maintenance, durable & easy to clean Maximum colour fastness & resistance to fading Mould, mildew & stain resistant Supported by a 10 year warranty Cleaner solution - APEO and Solvent Free
Treatment	Water resistant Bio ultrashield (UV Stabilised & Anti microbial treatment)

Barrington fabric care, cleaning instructions and warranty information are available by request.



SOLUTION DYED ACRYLIC



DOCRIL[®] COLOURS & DESIGNS

CITEL

WATER REPELLENT ACRYLIC FABRIC

APPLICATIONS

Blinds, awnings, umbrellas, boat covers, boat hooding and outdoor furniture.

Roll Widths	120cm, 153cm 200cm & 250cm (solid colours) 120cm (striped designs)
Roll Lengths	60 metres (120cm, 153cm & 200cm wide) 50 metres (250cm wide)
Nominal Weight	290gsm
Finish	Teflon
Colours	37 solid colours (120cm wide) 14 solid colours (153cm) 15 solid colours (200cm wide) 4 solid colours (250cm wide)
Designs	39 striped designs (120cm wide) Docril 017, Docril 361, Docril 234, Docril 172, Docril 014, Docril 501, Docril 572, Docril 317, Docril 319, Docril 636 Docril 502, Docril 140, Docril 231, Docril 322, Docril 408, Docril 407, Docril 228, Docril 504, Docril 165, Docril 661, Docril 664, Docril 365, Docril 011, Docril 028, Docril 558, Docril 430, Docril 364, Docril 670, Docril 012, Docril 323, Docril 141, Docril 432, Docril 648, Docril 669, Docril 331, Docril 362, Docril 431, Docril 447 & Docril 019
Treatment	Water repellent UV treated Mildew & rot resistant

COLOURS		WIDTHS			
		120cm	153cm	200cm	250cm
041	Light Grey		•	•	
675	Light Grey Tweed	•			
676	Dark Grey Tweed	•			
1000	Fossil	•			
067	Grey	•	•	•	•
677	Black Tweed	•			
114	Pepper	•			
098	Charcoal	•	•	•	•
680	Black	•	•	•	•
001	White	•			
061	Natural	•	•	•	
002	Fawn	•			
108	Pebble	•			
181	Lemon	•			
182	Sandstone	•			
086	Toffee	•			
105	Wafer	•			
081	Desert Sand	•			
197	Linen	•			
037	Cappuccino	•		•	
079	Bark	•	•	•	
106	Smoke	•			
113	Brown Tweed	•	•	•	
005	Espresso		•	•	
198	Nutmeg	•	•	•	
494	Cinnamon	•			
003	Yellow	•			
683	Flame	•			
184	Paprika	•			
107	Earth	•			
060	Burgundy	•	•	•	
492	Teal	•			
103	Empire	•			
682	Marine Blue	•	•	•	
077	Navy	•	•	•	•
084	Sapphire	•	•	•	
145	Alpine	•			
111	Clover	•			
072	Heritage Green	•	•	•	
	Docril Designs	•			

Docril[®] fabric care, cleaning instructions and warranty information are available by request.

DOCRIL[®] NAUTICA

CITEL

WATERPROOF ACRYLIC FABRIC

APPLICATIONS

Ideal for boat hooding, umbrellas, blinds and awnings.

Roll Widths	153cm & 200cm
Roll Length	60 metres
Nominal Weight	315gsm
Finish	Upperside - Teflon Underside - Polyurethane
Colours	682 Marine Blue, 077 Navy, 084 Sapphire, 061 Natural, 079 Bark, 113 Brown Tweed, 198 Nutmeg, 005 Espresso, 060 Burgundy, 072 Heritage Green, 041 Light Grey, 067 Grey, 098 Charcoal & 680 Black
Treatment	Waterproof UV treated Mildew & rot resistant

Docril[®] fabric care, cleaning instructions and warranty information are available by request.



BINDING



DOCRIL® BINDING

CITEL

ACRYLIC FABRIC

APPLICATIONS

Ideal for blinds, awnings and marine cover trims.

Roll Size	20mm x 50 metre rolls
Colours	DOCBIND001 - White DOCBIND003 - Yellow DOCBIND151 - Mustard DOCBIND072 - Heritage Green DOCBIND006 - Emerald DOCBIND040 - Red DOCBIND074 - Terracotta DOCBIND060 - Burgundy DOCBIND007 - Marine Blue DOCBIND077 - Navy DOCBIND084 - Sapphire DOCBIND002 - Fawn DOCBIND193 - Sand DOCBIND037 - Cappuccino DOCBIND005 - Chocolate DOCBIND067 - Grey DOCBIND098 - Charcoal DOCBIND039 - Black
Treatment	UV treated Mildew & rot resistant

15



BRELLA BINDING

BRADMILL

POLYESTER/COTTON BINDING

APPLICATIONS

Ideal for blind and awning trims.

Roll Size	20mm x 50 metre rolls
Colours	BREBINDAM - Amethyst BREBINDBC - Burnt Chilli BREBINDBF - Blue Flint BREBINDBK - Black BREBINDBN - Bone BREBINDBU - Burgundy BREBINDCB - Classic Brown BREBINDCG - Cumberland Green BREBINDDN - Deep Navy BREBINDCI - Cinnamon BREBINDDS - Dusty Sand BREBINDGM - Gunmetal BREBINDHE - Hemp BREBINDMA - Marsh BREBINDOY - Oyster BREBINDSS - Sandstone BREBINDST - Slate BREBINDWH - White
Treatment	UV treated Mildew & rot resistant

CALENDERED PVC FABRICS



GLACIER CRYSTAL CLEAR & TINT PVC

PVC FABRIC

APPLICATIONS

Glacier Crystal Clear & Tint PVC is ideal for restaurant enclosures, blinds, temporary glazing, marquees, motor and marine trimming

Colour/Gauge	Clear 0.65mm	Clear 0.75mm	Clear FR 0.75mm	Smoke 0.75mm	Clear 1.00mm
Width	180cm	152cm	152cm	152cm	152cm
Length	40 metres	30 metres	30 metres	30 metres	30 metres
Nominal Weight	850gsm	950gsm	950gsm	955gsm	1300gsm
Features	REACH Compliant ROHS Compliant Phthalate Free High UV Low Shrinkage				



CLEARWEAVE

HIRAOKA

PVC FABRIC

APPLICATIONS

Cafe blinds, tent/marquee walls, factory/office partitions and machine covers.

Roll Width	205cm
Roll Length	25 metres
Nominal Weight	610gsm
Thickness	0.47mm
Fabric Type	Transparent reinforced PVC with woven polyester base
Treatment	UV stabilised, anti fungal & FR tested to AS1530.2 & 1530.3
Tensile Strength [DIN53354]	Warp: 330 Weft: 325
Elongation at Break	Warp: 19% Weft: 28%
Wing Rip [AS2001.2.10-1986]	Warp: 210 Weft: 200



POLYESTER FABRICS



SOLTERIOR FR





SOLUTION DYED POLYESTER MADE FROM RECYCLED PET

POLYESTER FABRIC



APPLICATIONS

Ideal for commercial awning and umbrellas applications.

Roll Width	120cm	
Roll Length	50 metres	
Nominal Weight	448gsm	
Thickness	0.55mm	
Fabric Type	Recycled polyester from PET drink bottles	
Fabric Finish	Waterproof TPU (Polyurethane) impregnation (1000mm+)	
Treatment	UV resistance Fire retardant Waterproof	
Colours	Snow, Ivory, Taupe, Cherry, Burgundy, Marine Blue, Navy, Forest Green, Charcoal* and Midnight	
Printing Compatibility	 	
Cutting	 	
Tensile Strength (JIS L 1096 A-STRIP)	Warp: 1176 N/30mm Weft: 725 N/30mm	
Elongation at break (JIS L 1096 A-STRIP)	Warp: 70% Weft: 40%	
Tear Strength (JIS L 1096 A-1 SINGLE TONGUE)	Warp: 80N Weft: 50N	
Features	Made from recycled polyester (PET drink bottles) FR retardant (AS1530 Part 2 & 3) 5 year warranty RoHS compliant	Waterproof High UV resistance 100% recyclable

*Charcoal available soon



JETTY & JETTY PLUS

100% SOLUTION DYED POLYESTER FABRIC

	Jetty	Jetty Plus
Applications	Ideal for all marine projects, outdoor umbrellas and general cover applications.	Ideal for boat covers, car covers and general cover applications.
Roll Widths	152cm & 200cm	200cm
Roll Lengths	50 metres - 200cm 91 metres - 152cm	30 metres
Nominal Weight	255gsm	380gsm
Fabric Type	100% Solution dyed polyester with one side coated on backing	100% Solution dyed polyester with a non-woven backing
Base Fabric	Solution dyed polyester	Solution dyed polyester
Treatment	UV stabilised Anti-Fungal Waterproof	UV stabilised Anti-Fungal Waterproof
Colours	Royal Blue, Captain Navy, Navy Blue, Maroon, Forest Green, Linen, Taupe, Light Grey, Charcoal & Black	Navy Blue, Charcoal & Black
Tensile Strength (ASTM D4034-09) (Grab method)	Warp: 1750 N/50mm Weft: 1600 N/50mm	Warp: 1645 N/50mm Weft: 1465 N/50mm
Tear Strength (ASTM D1424-09) (Falling pendulum method)	Warp: 61N Weft: 55N	Warp: 64N Weft: 64N
Features	5 year uv warranty Lightweight Excellent strength per weight ratio High abrasion resistance Printable	5 year uv warranty Lightweight Excellent strength per weight ratio High abrasion resistance



SELF ADHESIVE TRANSPARENT WINDOW TEXTILE



SQUID[®]

SELF ADHESIVE TRANSPARENT WINDOW TEXTILE

APPLICATIONS

An innovative transparent self adhesive window textile for internal window and vertical glass surface applications.

Roll Width	130cm
Roll Lengths	25 metres & 50 metres
Nominal Weight	105gsm (fabric only) / 140gsm (with liner)
Colours	Chalk, Bone, Oak, Ash, Rock & Coal
Thickness	300 micron
Liner	35gsm polypropylene
Fabric Type	100% Woven Polyester
Treatment	Flame Retardant M1/B1 Humidity Resistant Anti-Bacterial UV Stabilised PVC Free
Features	Privacy - transparent from the inside and obscured view from the outside (daytime only) Sun protection - Up to 1/3 of the suns rays reflected The sensing temperature on a window covered with Squid compared to an uncovered window is approximately 3°C lower 5 year service life*

Colours	Chalk	Bone	Oak	Ash	Rock	Coal
Solar reflectance	36%	33%	28%	25%	25%	18%
Solar transmission	60%	59%	56%	54%	52%	41%
Solar absorption	4%	8%	16%	21%	23%	40%

*Squid[®] has a service life of 5 years providing that Squid[®] is correctly installed on a vertical glass surface.



MESH PVC PRODUCTS

Mode Colours	4
Mode Privacy	5
Mode Textures	6
Mode Zero	7
Outlook Designs	8

CANVAS FABRICS

Barrington	10
------------	----

SOLUTION DYED ACRYLIC

Docril®	12
Docril® Nautica	13

BINDING

Docril® Acrylic Binding	15
Brella Binding	16

CALENDERED PVC FABRICS

Glacier Crystal Clear & Grey Tint	18
Clearweave	19

POLYESTER FABRICS

Solterior FR	21
Jetty & Jetty Plus	22

SELF ADHESIVE TRANSPARENT WINDOW TEXTILE

Squid®	24
--------	----



rickyrichards.com.au

