




# ARCADIA

HIGH-PERFORMANCE CAMPING FABRIC

CARAVAN AWNINGS

RV ROLL-OUT AWNINGS

ANNEXE ROOFING & WALLS



10

YEAR UV  
WARRANTY

# ELEVATE EVERY ADVENTURE

## Arcadia: Trusted by travellers.

A long-standing staple in the caravan and outdoor industry, Arcadia is engineered for performance and elegance. Its durable acrylic lacquer topcoat ensures easy maintenance and long-lasting appeal, while the sophisticated graduated stripe design adds a refined touch to any caravan or RV setup.

Perfect for annexe roofing/walls, caravan awnings, and RV roll-out awnings, Arcadia offers fire retardancy, UV stabilisation, and anti-fungal protection with full waterproof performance. Backed by a 10-year UV warranty, it's the fabric outdoor adventurers have trusted for decades. Strong, reliable, and always ready for the road ahead.

10

### 10-YEAR UV WARRANTY

Arcadia is supported by an industry-leading 10-year UV warranty for peace of mind.

UV

### UV STABILISED

Arcadia fabrics are UV stabilised which prevents them from fading under intense UV rays. It also increases the textiles' longevity and ensures easy cleaning.



### FIRE RETARDANT

Arcadia is fire retardant which means the fabrics are designed for commercial environments. Test results are available by request.



### WATERPROOF

Arcadia is coated with a waterproof finish, making it perfect for long-term outdoor use.



### FUNGICIDE TREATED

Arcadia fabrics are finished with anti-fungal treatment that kills parasitic fungi or their spores. This treatment provides ease of maintenance and improves the textiles' longevity.



### BLOCKOUT

Arcadia is a blockout fabric that provides exceptional protection.

## COLOUR RANGE



BERRIMA (MAROON/GREY)



NEWCASTLE (CHARCOAL/GREY)



BLACKWATER (CHARCOAL)

# TECHNICAL SPECIFICATIONS

<b>Roll Width</b>	275cm
<b>Roll Length</b>	30m
<b>Nominal Weight</b>	550gsm
<b>Thickness</b>	0.50mm
<b>Fabric Type</b>	PVC laminated polyester blockout
<b>Base Fabric</b>	Knitted 1100dtex polyester
<b>Fabric Density</b>	3.5 x 3.5 threads per cm <sup>2</sup>
<b>Finish</b>	Matte acrylic lacquer on top side
<b>Tensile Strength (AS2001.2.3.1-2001)</b>	Warp: 1255N/50mm Weft: 1533N/50mm
<b>Elongation at Break</b>	Warp: 20.8% Weft: 18.8%
<b>Wing Rip (AS2001.2.10-1986)</b>	Warp: 170N Weft: 260N

CARAVAN & RV AWNINGS



ANNEXE ROOFING & WALLS





**Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725**  
1300 RICKYS (1300 742 597)  
[sales@rickyrichards.com.au](mailto:sales@rickyrichards.com.au)  
[rickyrichards.com.au](http://rickyrichards.com.au)

**JANUARY 2026**

Information contained in this brochure is accurate and based on the latest product information available at the time.  
Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information,  
we maintain the right to make changes as necessary.



EXPLORE  
ARCADIA