



B6000

PVC COATED POLYESTER

HEAVY-DUTY TRANSPORT APPLICATIONS

TRUCK SIDE CURTAINS

ROLL-OVER TARPAULINS



THE ULTIMATE HEAVY-DUTY TRANSPORT SOLUTION

Crafted with precision and durability in mind, B6000 from world-leading supplier Sioen is a dimensionally stable PVC fabric that ensures reliability and performance even in the most demanding conditions.

Designed to withstand the rigors of heavy-duty transport applications, this versatile fabric is the go-to choice for truck side curtains, roll-over tarps, and tarpaulins. With its robust construction and superior quality, Sio-Line B6000 offers unparalleled strength and longevity, providing peace of mind to businesses and drivers alike. B6000 delivers exceptional performance, ensuring that your goods remain protected and secure at all times.



UV STABILISED

B6000 fabrics are UV stabilised which prevents them from fading under intense UV rays. This increases the textiles' longevity and ensures easy cleaning.



PROTECTIVE LACQUER

B6000 is finished with a protective lacquer to maintain appearance and product performance.



STRONG & DURABLE

B6000 is engineered to be robust and durable, capable of withstanding the demands of heavy-duty transport applications.



MOULD & MILDEW RESISTANT

This PVC fabric is highly resistant to mould and mildew, ensuring longevity and reliability even in challenging environments.




MADE BY SIOEN

Manufactured in Europe by the world market leader in technical textiles.

COLOUR RANGE



1001 YELLOW




3001 RED




5007 ROYAL BLUE



7999 BLACK




9002 WHITE



3617 MAROON




3018 ORANGE




5028 MARINE BLUE




5030 NAVY




6028 DARK GREEN



6037 GREEN



7024 GREY



7500 SILVER

TECHNICAL SPECIFICATIONS

Roll Width	320cm
Roll Length	30m, 60m, 224m
Nominal Weight	900gsm
Thickness	0.72mm
Base Fabric	Panama woven 1100dtex
Fabric Density	12 x 12 threads per cm ²
Fabric Type	PVC coated polyester
Finish	Gloss acrylic lacquer both sides
Tensile Strength (AS 2001.2.3.1 - 2001)	Warp: 3802N/50mm Weft: 3964N/50mm
Elongation at Break	Warp: 25.4% Weft: 18.4%
Wing Rip (AS 2001.2.10-1986)	Warp: 271N Weft: 259N

ROLL LENGTHS

Colour	Roll Lengths
 1001 Yellow	30m, 60m
 3001 Red	30m, 60m, 224m
 5007 Royal Blue	30m, 60m, 224m
 7999 Black	30m, 60m, 224m
 9002 White	30m, 60m, 224m
 3617 Maroon	30m, 60m
 3018 Orange	30m, 60m
 5028 Marine Blue	30m, 60m, 224m
 5030 Navy	30m, 60m, 224m
 6028 Dark Green	30m, 60m, 224m
 6037 Green	30m, 60m
 7024 Grey	30m, 60m, 224m
 7500 Silver	30m, 60m



Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
1300 RICKYS (1300 742 597)
sales@rickyrichards.com.au
rickyrichards.com.au

JANUARY 2026

Information contained in this brochure is accurate and based on the latest product information available at the time.
Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information,
we maintain the right to make changes as necessary.



**EXPLORE
B6000**