



# BLINDS & AWNINGS RANGE

OUTLOOK®

DOCRIL®

SKYLINE



# YOU CAN RELY ON RICKY



Expert Customer Service



Speedy & Reliable Delivery



High-Quality Product Range

## WE HAVE A NATIONAL PRESENCE

With offices and dedicated sales representatives in Brisbane, Sydney, Melbourne, and Adelaide, and a distributor in Perth: WA Textiles.



## OUR DIVISIONS

Sun  
Control

Technical  
Textiles

Print Media

Decorative



# Blinds & Awnings

Our Blinds & Awnings range brings together high-performance fabrics engineered for long-lasting outdoor comfort and visual appeal. Fabricators benefit from easy handling, predictable tensioning and dependable warranties, while end-users enjoy enhanced shade, privacy and temperature control. Built for Australia's climate, these fabrics combine performance, protection and timeless design.

## OUTLOOK®

ANYTHING ELSE IS A COMPROMISE

Mesh for external blinds and awnings



15-year UV warranty



6 expansive collections



Made with Dow® Ecolibrium™ technology



Greenguard Gold® certified



Made by Phifer



Featuring the Zero Stripes collection



**Docril®**  
solution dyed acrylic

IF IT'S NOT DOCRIL, IT'S JUST FABRIC!

100% solution-dyed acrylic for awnings, exterior blinds, umbrellas, and outdoor furniture



10-year UV warranty



100% solution-dyed acrylic



UV stabilised



## SKYLINE

PANORAMIC VIEWS, EFFORTLESS COMFORT

Mesh for external blinds and sliding shade systems



10-year UV warranty



Greenguard Gold® certified



Fire retardant



Mould & mildew resistant



# OUTLOOK®

ANYTHING ELSE IS A COMPROMISE

EXTERIOR BLINDS

AWNINGS

SLIDING SHADE SYSTEMS



15

YEAR UV  
WARRANTY

# ANYTHING ELSE IS A COMPROMISE

For decades Outlook has been Australia's market leading outdoor mesh and with good reason. The Outlook Collection is the most comprehensive available with a combination of modern and contemporary colours in a variety of textures and qualities. Through constant development and innovation, the Outlook Collection delivers performance and functionality like no other.



Outlook is manufactured by the American based global leader of solar control fabrics, Phifer Incorporated. Manufactured using stringent quality control systems and the latest technology, Outlook is the benchmark for outdoor mesh in Australia. Innovation is in the Phifer DNA with industry leading initiatives such as Dow Ecolibrium and Microban.

- Blind and awning systems using Outlook mesh will extend outdoor areas for all year-round living, maintaining temperature control and providing a seamless connection for indoor and outdoor environments.
- Outlook filters ultra-violet rays, offering protection without compromising the visual aspect.
- Manufactured using the bio-based Dow Ecolibrium plasticiser technology, using Outlook will save on average one litre of a petroleum for each outdoor blind.
- Outlook fabrics are designed for commercial environments and are tested to the relevant Australian standards.
- Outlook mesh naturally creates a cooler environment outside, and assists with lowering energy costs inside.

## OUR MARKET-LEADING RANGE

|                                |                                                   |                               |                                      |
|--------------------------------|---------------------------------------------------|-------------------------------|--------------------------------------|
|                                |                                                   |                               |                                      |
| <b>DESIGNS</b><br>12% Openness | <b>MODE COLOURS &amp; TEXTURES</b><br>5% Openness | <b>PRIVACY</b><br>1% Openness | <b>ZERO</b><br>100% Visual Block-out |



# THE OUTLOOK ADVANTAGE



## 15-YEAR UV WARRANTY

Outlook is a proven performer and is supported with an industry-leading 15-year UV warranty.



## GREENGUARD GOLD® CERTIFIED

Outlook is engineered with environmental responsibility as one of its key criteria. The lead and phthalate-free formulation provides low emissions and is Gold Level certified by Greenguard.



## MICROBAN® TECHNOLOGY

Outlook fabrics include Microban anti-microbial technology. This provides ease of maintenance by inhibiting mould and mildew growth.



## DOW® ECOLIBRIUM™ BIO-BASED PLASTICISER TECHNOLOGY

Outlook features the exclusive bio-based Dow Ecolibrium plasticiser technology which reduces greenhouse gases by 40%. Dow Ecolibrium preserves the equivalent of 1 litre of oil for every 10 square metres of fabric compared to petroleum-based equivalents.



## FIRE RETARDANT

Outlook fabrics are designed for commercial environments and are tested to the relevant Australian standards. (Not including Outlook Designs)



## DURABLE & EASY TO MAINTAIN

The Outlook collection is as durable as it is stylish and is designed to handle high traffic applications with ease. Outlook mesh is easy to maintain and only requires occasional cleaning using a mild detergent then rinsing with clean water. Comprehensive care details are available on the Ricky Richards website or by request from Ricky Richards (Sales) P/L.



## INSPIRED BY COLORBOND®

A selection of colours throughout the Outlook collection are inspired by COLORBOND® matching any existing outdoor theme.



## LEAD-FREE

Outlook fabrics manufactured by Phifer Incorporated are lead-free. These fabrics pass some of the most stringent US standards for heavy metals such as US Product Safety Commission Section 101 and ANSI/WCMA A100.1-2007 for lead content.



## PRINTABLE

Mode Colours, Outlook Privacy and Outlook Zero colours are printable fabrics and have the printing compatibility for Solvent and UV printers.

# APPLICATIONS

EXTERNAL  
BLINDS




PIVOT ARM  
AWNINGS



LOCK ARM  
AWNINGS



SLIDING SHADE  
SYSTEMS



# OUTLOOK® MODE COLOURS 95% SHADE COVER, 5% OPENNESS

One of the most versatile products of the Outlook mesh collection with a 'do it all' reputation. The construction features a 5% openness allowing for sun and weather protection, moderate airflow and uninterrupted views. Australia's number one selling outdoor mesh range.




\*Inspired by COLORBOND®

## TECHNICAL SPECIFICATIONS


|                                                |                                      |                            |                                        |
|------------------------------------------------|--------------------------------------|----------------------------|----------------------------------------|
| <b>Roll Widths</b>                             | 275cm & 320cm                        | <b>Roll Length</b>         | 30m                                    |
| <b>Shade Cover</b>                             | 95%                                  | <b>Openness</b>            | 5%                                     |
| <b>Nominal Weight</b>                          | 540gsm                               | <b>Fabric Type</b>         | 2 x 2 weave, PVC coated polyester mesh |
| <b>Tensile Strength</b><br>(AS2001.2.3.1-2001) | Warp: 3225N/50mm<br>Weft: 2180N/50mm | <b>Elongation at Break</b> | Warp: 29%<br>Weft: 26%                 |
| <b>Wing Rip</b><br>(AS2001.2.10-1986)          | Warp: 161N<br>Weft: 119N             |                            |                                        |

# OUTLOOK® TEXTURES 95% SHADE COVER, 5% OPENNESS


Outlook Textures is a versatile product, with a 5% openness allowing for sun and weather protection, moderate airflow and uninterrupted views.




907 ANISEED




909 STUCCO



901 GOLDEN GLOW



903 SMOKEY QUARTZ



905 PEPPERMINT

## TECHNICAL SPECIFICATIONS

|                                      |                                      |                     |                                                         |
|--------------------------------------|--------------------------------------|---------------------|---------------------------------------------------------|
| Roll Width                           | 320cm                                | Roll Length         | 30m                                                     |
| Shade Cover                          | 95%                                  | Openness            | 5%                                                      |
| Nominal Weight                       | 540gsm                               | Fabric Type         | 2 x 2 weave, PVC coated polyester mesh & bi-colour yarn |
| Tensile Strength (AS2001.2.3.1-2001) | Warp: 3225N/50mm<br>Weft: 2180N/50mm | Elongation at Break | Warp: 29%<br>Weft: 26%                                  |
| Wing Rip (AS2001.2.10-1986)          | Warp: 161N<br>Weft: 119N             |                     |                                                         |



OUTLOOK® PRIVACY 99% SHADE COVER, 1% OPENNESS


Our Outlook Privacy mesh features a 1% openness, providing additional privacy and increased sun protection, while still maintaining moderate views.



411 BASALT®




401 GUNMETAL




412 MONUMENT®




403 STORM




408 SHADOW




400 EBONY




407 BLACK OPAL




404 PAPERBARK®



409 COLORADO



402 CHESTNUT



406 DESERT

\*Inspired by COLORBOND®

TECHNICAL SPECIFICATIONS

|                                         |                                      |                     |                                        |
|-----------------------------------------|--------------------------------------|---------------------|----------------------------------------|
| Roll Width                              | 320cm                                | Roll Length         | 20m                                    |
| Shade Cover                             | 99%                                  | Openness            | 1%                                     |
| Nominal Weight                          | 650gsm                               | Fabric Type         | 2 x 2 weave, PVC coated polyester mesh |
| Tensile Strength<br>(AS2001.2.3.1-2001) | Warp: 3772N/50mm<br>Weft: 1409N/50mm | Elongation at Break | Warp: 32.6%<br>Weft: 16.1%             |
| Wing Rip<br>(AS2001.2.10-1986)          | Warp: 234N<br>Weft: 122N             |                     |                                        |



# OUTLOOK® ZERO & ZERO STRIPES 100% VISUAL BLOCK-OUT

The Outlook Zero range offers a selection of contemporary solid and stripe colourways. This range is a 100% visual block-out mesh, providing exceptional weather protection and total privacy.



\*Inspired by COLORBOND®


## TECHNICAL SPECIFICATIONS

|                                         |                                     |                     |                                        |
|-----------------------------------------|-------------------------------------|---------------------|----------------------------------------|
| Roll Width                              | 320cm                               | Roll Length         | 25m                                    |
| Shade Cover                             | 100%                                | Openness            | 0%                                     |
| Nominal Weight                          | 650gsm                              | Fabric Type         | 2 x 2 weave, PVC coated polyester mesh |
| Tensile Strength<br>(AS2001.2.3.1-2001) | Warp: 980N/50mm<br>Weft: 3600N/50mm | Elongation at Break | Warp: 19.5%<br>Weft: 34.5%             |
| Wing Rip<br>(AS2001.2.10-1986)          | Warp: 581N<br>Weft: 199N            |                     |                                        |



OUTLOOK® DESIGNS 88% SHADE COVER, 12% OPENNESS

Outlook Designs is a selection of traditional stripe in a 12% openness construction. It offers aesthetic appeal and general weather protection.



640 ZEBRA



644 NAMBUCCA




618 WANDA




636 STRADBROKE



672 FEDERATION



648 DAINTREE



625 PALM BEACH



642 GUMLEAF

TECHNICAL SPECIFICATIONS

|                                         |                                      |                     |                                        |
|-----------------------------------------|--------------------------------------|---------------------|----------------------------------------|
| Roll Width                              | 275cm                                | Roll Length         | 30m                                    |
| Shade Cover                             | 88%                                  | Openness            | 12%                                    |
| Nominal Weight                          | 490gsm                               | Fabric Type         | 2 x 1 weave, PVC coated polyester mesh |
| Tensile Strength<br>(AS2001.2.3.1-2001) | Warp: 2675N/50mm<br>Weft: 1145N/50mm | Elongation at Break | Warp: 28%<br>Weft: 29%                 |
| Wing Rip<br>(AS2001.2.10-1986)          | Warp: 171N<br>Weft: 103N             |                     |                                        |



# ONLY OUTLOOK USES



Plasticisers give fabrics their pliability, or unique ability to bend and flex without cracking, breaking or holding memory. Fabrics made with Dow Ecolibrium bio-based plasticisers offer a renewable, plant-based alternative to those made with traditional petroleum-based plasticisers, lowering greenhouse gases by 40%. This technology also improves performance, offering the benefits of heat stability, durability, abrasion resistance and UV resistance.



Made from **98%** renewable materials



Phthalate and lead free




Produces lower carbon footprint



Durable and cleanable




Lowers greenhouse gases by **40%**



WATCH OUR  
VIDEO ON  
DOW  
ECOLIBRIUM  
HERE

## WHEN YOU USE OUTLOOK MESH, EACH STANDARD BLIND SAVES...



Up to **2kg** of CO<sub>2</sub> and **1L** of petrol\*

\*Calculated based on a standard blind being 10m<sup>2</sup>

## THE AVERAGE HOME USING OUTLOOK SAVES...



Up to **12kg** of CO<sub>2</sub> and **6L** of petrol\*

\*Calculated based on a house with 6 x 10m<sup>2</sup> sized blinds

# INSPIRED BY Colorbond®

A selection of colours throughout the Outlook collection are inspired by COLORBOND®, and are designed to complement any outdoor theme.

## Monument®

A deep and dark grey, inspired by the volcanic formations of our Southern coastline.

**Can be complemented by our colours:**

Monument®, Surfmist®, Platinum, Shale Grey™



## Basalt®

A cool grey inspired by the mineral tones of the ancient rock it represents.

**Can be complemented by our colours:**

Basalt®, Surfmist®, Platinum



## Windspray®

A soft and neutral grey that evokes cool sea mists and summer breezes.

**Can be complemented by our colours:**

Windspray®, Chalk, Surfmist®



## Shale Grey™

A light and delicate grey reflecting silvered tree bark and the engrained beauty of granite.

**Can be complemented by our colours:**

Shale Grey™, Chalk, Spice, Monument®



## Surfmist®

A fresh and timeless colour inspired by the whitewash of surf beaches.

**Can be complemented by our colours:**

Surfmist®, Monument®, Woodland Grey®



## Woodland Grey®

A dark, grey-green tone reminiscent of deep inland bush and coastal scrub.

**Can be complemented by our colours:**

Woodland Grey®, Surfmist®, Porcelain



## Pale Eucalypt®

A versatile and calming colour recalling the green tones found in our native eucalypt species.

**Can be complemented by our colours:**

Pale Eucalypt®, Chalk, Surfmist®



# OUTLOOK®

AUSTRALIA'S BEST MESH FOR EXTERNAL BLINDS



Backed by a 15-year  
UV warranty



The greenest mesh  
on the market

**PHIFER**

Made by the world-  
leader in outdoor mesh



Featuring Zero Stripes:  
The only striped visual  
block-out mesh on  
the market



An extensive collection  
of fabrics & colours





# IF IT'S NOT DOCRIL, IT'S JUST FABRIC!

AWNINGS

EXTERIOR BLINDS

UMBRELLAS

BOAT HOODING & COVERS

OUTDOOR FURNITURE



YEAR UV  
WARRANTY


# IF IT'S NOT DOCRIL, IT'S JUST FABRIC!

For 20 years, Docril has been Australia's number one choice for outdoor awnings. The collection combines superior performance with a comprehensive range of colours and designs to provide a perfect solution for solar protection.



Docril is manufactured by the world renown textile pioneer, Citel based in Spain. Since 1875, Citel have been the benchmark for outdoor technical fabrics. Their state-of-the-art facility is vertically integrated, controlling the entire process from spinning through to finishing. Citel has a deserved reputation for innovation and stringent quality control. Simply put, Docril is engineered to last.

- Docril is woven using 100% solution-dyed acrylic. A resilient yarn that is colour-fast and will perform for years under the harsh Australian elements.
- Not only does Docril provide protection from ultra-violet radiation, it regulates temperature to provide outdoor comfort and indoor climate control.
- Docril is a stylish fabric available in a comprehensive selection of colours, textures, and stripes.
- Docril fabrics are finished with a treatment which provides water repellency and ease of cleaning.



## APPLICATIONS


AWNINGS



EXTERIOR BLINDS



SLIDING SHADE SYSTEMS



UMBRELLAS



BOAT HOODING & COVERS



OUTDOOR FURNITURE



# THE DOCRIL DIFFERENCE

**10**

## FULL 10-YEAR UV WARRANTY

Docril is a premium quality fabric that is supported with a full 10-year UV warranty. Engineered to last in direct sunlight, performance is paramount without compromise.

**SD**

## 100% SOLUTION-DYED ACRYLIC

Docril is engineered with a resilient solution-dyed acrylic yarn. This technology provides exceptional colour stability, durability and performance under the harsh Australian elements. Using the solution dyeing method, the colour becomes an integral part of the yarn through to the core.

**UV**

## UV STABILISED

Docril fabrics are UV stabilised which prevents them from fading under intense UV rays. This also increases the textiles' longevity and ensures easy cleaning.



## DURABLE & EASY TO MAINTAIN

Docril fabrics are as durable as they are stylish and are designed to handle high traffic applications with ease. In outdoor situations these fabrics should be hosed regularly to remove dust, bird droppings and other solid particles and should not be rolled up or stowed away, while wet. Comprehensive care details are available on the Ricky Richards website or by request from Ricky Richards (Sales) P/L.



## WATER-RESISTANT

Docril fabrics are designed to achieve the highest values possible in spray tests, which are performed to determine the resistance of fabrics to surface moisture. Docril has a resistance to a water column of up to 35cm, which is the volume of accumulated water that the fabric can support vertically before it begins to filter and drip through the fabric.



## OIL-RESISTANT


Docril fabrics are treated to repel stains from oil-based products, ensuring that splashes and spills can be easily cleaned with a dry cloth and dry stains can be brushed off.

## TRADITIONAL YARN-DYED ACRYLIC

Colour only penetrates the outside of the fibre

### TRADITIONAL YARN-DYED ACRYLIC

Colour only  
dyes the outside  
of the fibre




## DOCRIL SOLUTION-DYED ACRYLIC YARN

Colour is consistent throughout the fibre


### DOCRIL SOLUTION- DYED ACRYLIC YARN

Colour is consistent  
throughout the fibre



# COLOUR RANGE

## GREYS



## BEIGES, BROWNS & YELLOWS



## COLOUR RANGE (CONTINUED)


### LILACS & REDS



DOCRIL 1273



1271 MARBLED  
LILAC




DOCRIL 1264



683 FLAME




DOCRIL 028




184 PAPRIKA




DOCRIL 558



107 EARTH



060 BURGUNDY



DOCRIL 430

### BLUES & GREENS




DOCRIL 1266



492 TEAL




DOCRIL 012



DOCRIL 323



077 NAVY



DOCRIL 432




DOCRIL 648




084 SAPPHIRE



DOCRIL 1265



145 ALPINE



DOCRIL 331




DOCRIL 362



DOCRIL 431



DOCRIL 447



072 HERITAGE  
GREEN



DOCRIL 019

## TECHNICAL SPECIFICATIONS

|                    |                                                             |                       |           |
|--------------------|-------------------------------------------------------------|-----------------------|-----------|
| <b>Roll Size</b>   | 120cm (width) x 60m (length)                                | <b>Nominal Weight</b> | 290gsm    |
| <b>Fabric Type</b> | 100% solution-dyed acrylic                                  | <b>UV Block</b>       | 95% - 99% |
| <b>Finish</b>      | Upper Side: Dupont Teflon®, Under Side: Polyurethane coated |                       |           |





# SKYLINE

PANORAMIC VIEWS, EFFORTLESS COMFORT

EXTERNAL BLINDS & STRAIGHT DROP AWNINGS

SLIDING SHADE SYSTEMS

ZIP CHANNEL AWNINGS

BOAT WINDSCREEN COVERS



10

YEAR UV  
WARRANTY

# ENHANCE YOUR ENVIRONMENT WITH SKYLINE

Skyline delivers exceptional durability, longevity and a range of modern colours and styles. This range is suitable for use with external blinds and awnings and is the perfect addition to enhance your residential or commercial environment. Skyline can also be used for some marine applications such as windscreen covers.



Skyline is manufactured by the American based global leader of solar control fabrics, Phifer Incorporated. Manufactured using stringent quality control systems and the latest technology, Skyline is the benchmark for outdoor mesh in Australia. Innovation is in the Phifer DNA with industry leading initiatives such as Dow Ecolibrium and Microban.



## 10-YEAR UV WARRANTY

Skyline is a proven performer and is supported with a 10-year UV warranty.



## FIRE RETARDANT

Skyline fabrics are designed for residential and commercial environments and are tested to the relevant Australian standards.



## GREENGUARD GOLD® CERTIFIED

Skyline is engineered with environmental responsibility as one of its key criteria. The lead and phthalate-free formulation provides low emissions and is Gold Level certified by Greenguard.



## MOULD & MILDEW RESISTANT

Skyline has been finished with a treatment that provides ease of maintenance by inhibiting mould and mildew growth. This also improves the textiles' longevity and makes for easy cleaning.



## DURABLE & EASY TO MAINTAIN

Skyline is as durable as it is stylish and is designed to handle high traffic applications with ease. Skyline mesh is easy to maintain and only requires occasional cleaning using a mild detergent then rinsing with clean water.



## INSPIRED BY COLORBOND®

A selection of colours throughout the Skyline collection are inspired by Colorbond®, matching any existing outdoor theme.

EXTERNAL BLINDS




SLIDING SHADE SYSTEMS



BOAT WINDSCREEN COVERS



SKYLINE 94 COLOUR RANGE 94% SHADE COVER, 6% OPENNESS




\*Inspired by COLORBOND®

SKYLINE 94 TECHNICAL SPECIFICATIONS

|               |                                        |                                                                                                             |                                      |
|---------------|----------------------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------|
| Roll Sizes    |                                        | 320cm (width) x 30m (length) – all colours<br>275cm (width) x 30m (length) – Midnight, Monument & Coal only |                                      |
| Construction  | 2 x 2 weave, PVC coated polyester mesh | Tensile Strength                                                                                            | Warp: 2400N/50mm<br>Weft: 2200N/50mm |
| Tear Strength | Warp: 130N<br>Weft: 121N               | Elongation at Break                                                                                         | Warp: 28%<br>Weft: 29%               |
| Weight        | 595gsm                                 | Thickness                                                                                                   | 0.84mm                               |

SKYLINE 99 COLOUR RANGE 99% SHADE COVER, 1% OPENNESS



\*Inspired by COLORBOND®

SKYLINE 99 TECHNICAL SPECIFICATIONS

|               |                                        |                     |                                      |
|---------------|----------------------------------------|---------------------|--------------------------------------|
| Roll Size     |                                        | 320cm x 25m         |                                      |
| Construction  | 2 x 2 weave, PVC coated polyester mesh | Tensile Strength    | Warp: 3400N/50mm<br>Weft: 2900N/50mm |
| Tear Strength | Warp: 94N<br>Weft: 138N                | Elongation at Break | Warp: 26%<br>Weft: 17.5%             |
| Weight        | 670gsm                                 | Thickness           | 1mm                                  |



**Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725**  
1300 RICKYS (1300 742 597)  
[sales@rickyrichards.com.au](mailto:sales@rickyrichards.com.au)  
[rickyrichards.com.au](http://rickyrichards.com.au)

**SEPTEMBER 2026**

Information contained in this brochure is accurate and based on the latest product information available at the time.  
Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information,  
we maintain the right to make changes as necessary.



EXPLORE  
OUR BLINDS  
& AWNINGS  
RANGE