ricky

COOLSHADE

COMMERCIAL SHADE CLOTH ENGINEERED TO LAST

SHADE SAILS & STRUCTURES

TENSIONED STRUCTURES



12 YEAR UV WARRANTY

COMMERCIAL SHADE CLOTH ENGINEERED TO LAST

Coolshade is a heavy-duty commercial grade shade cloth that delivers ultra-violet (UV) protection and is engineered to last under the harsh Australian elements. The contemporary colour palette is available in multiple roll widths for versatility. Coolshade is supported with a 12-year UV warranty for peace of mind. Typical environments include schools, daycare centres, parks, playgrounds, carparks, and most shade sails and structures.

12-YEAR UV WARRANTY
Coolshade is supported by a full 12-year UV degradation warranty across the range.

HIGH UVR PROTECTION
Up to 97% UVR block across the Coolshade range of colours.

100% RECYCLABLE
Coolshade is a fully recyclable product that will not rot over time.


MOULD & MILDEW RESISTANT
Coolshade thrives in all elements and environments. It is designed to stand the test of time.

HEAT SET
A thermal process that reduces shrinkage once installed and allows for easier fabrication.

COLOUR RANGE



BLACK | DARK CHARCOAL | SLATE | SILVER | DARK GREEN | MAIZE | MIDNIGHT



AQUA BLUE | RED | MANOR RED | SAND | CAPPUCCINO | IVORY

Black, Dark Charcoal, Slate, Dark Green, Midnight, and Aqua Blue are available in both 380cm and 300cm roll widths.
Silver, Maize, Red, Manor Red, Sand, Cappuccino, and Ivory are available in 380cm roll width only.

COLOUR SPECIFICATIONS

Colour	UVR Block	Cover Factor	Shade Factor	UVE	Category
Black	96.8%	96.0%	96.7%	96.0%	Most Effective
Dark Charcoal	94.1%	94.0%	93.1%	92.0%	Very Effective
Slate	89.9%	90.0%	87.3%	89.0%	Effective
Silver	84.8%	84.0%	84.4%	84.0%	Effective
Dark Green	92.3%	92.0%	88.6%	92.0%	Very Effective
Maize	90.6%	90.0%	83.8%	90.0%	Effective
Midnight	93.1%	93.0%	91.5%	92.0%	Very Effective
Aqua Blue	92.9%	94.0%	86.0%	93.0%	Very Effective
Red	93.8%	93.0%	83.6%	94.0%	Very Effective
Manor Red	92.4%	92.0%	88.2%	92.0%	Very Effective
Sand	87.8%	88.0%	78.1%	87.0%	Effective
Cappuccino	92.8%	93.0%	84.8%	92.0%	Very Effective
Ivory	91.5%	92.0%	71.0%	92.0%	Very Effective

TECHNICAL SPECIFICATIONS

Roll Widths	380cm, 300cm	**Roll Length**	50m
Nominal Weight	325gsm	**Fabric Type**	HDPE monofilament and tape
Breaking Force **(AS2001.2.3.1-2001)**	Warp: 770N/50mm Weft: 2000N/50mm	**Elongation at Break** **(AS2001.2.3.1-2001)**	Warp: 108% Weft: 74%
Tear Resistance **(AS2001.2.10-1986)**	Warp: 213N Weft: 248N	**Bursting Force** **(AS2001.2.19-1988)** **Ball Burst Method**	1869N

FIRE RETARDANCY

AS1530.2-1993 **(Flammibility of Materials)**	**Flammability Index:**	10			
AS1530.3-1999	**Spread of Flame:**	8	**AS1530.3-1999**	**Ignitability:**	11
AS1530.3-1999	**Smoke Developed:**	5	**AS1530.3-1999**	**Heat Evolved:**	6

Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
1300 RICKYS (1300 742 597)
sales@rickyrichards.com.au
rickyrichards.com.au

OCTOBER 2026

Information contained in this brochure is accurate and based on the latest product information available at the time.
Please be aware that a slight colour difference may occur when using different devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information,
we maintain the right to make changes as necessary.

SCAN TO
EXPLORE
COOLSHADE