



2026 COVERS & TARPS RANGE

Featuring

B6000

AK420

NG600 & NG680

Protarp

CT1000

Ricky Ripstop



EXPLORE
OUR COVERS
& TARPS
RANGE


You can rely on Ricky

Expert Customer Service

Speedy & Reliable Delivery

High-Quality Product Range

With offices in:



Our Divisions



Sun
Control



Technical
Textiles



Print
Media



Covers & Tarps Range

Engineered for high performance and durability, our Covers & Tarps fabrics are made to last. Whether it be for transport, sporting equipment, or anything else, you can rely on Ricky fabrics.

B6000 by SIOEN

THE ULTIMATE HEAVY TRANSPORT SOLUTION

For heavy-duty transport applications, truck side curtains and roll-over tarpaulins

- UV stabilised
- Protective lacquer
- Strong & durable
- Mould resistant

AK420 by WONPCONG

RICKY'S MOST POPULAR PVC FABRIC

For marquees, covers, banners, and sporting equipment

- UV stabilised
- Fire retardant
- 40 Trusted for 40 years

NG600 & NG680

BUILT TOUGH FOR CHALLENGING CONDITIONS

For marquees, tents, covers, banners, and more

- 2-year UV warranty
- UV stabilised
- Strong & durable
- Mould resistant

Protarp

BUILT TOUGH FOR CHALLENGING CONDITIONS

For covers, tarpaulins, umbrellas, sporting equipment, tents, and marquees

- 2-year UV warranty
- UV stabilised
- Fire retardant
- Strong & durable

MAXISIDE 900

THE EPITOME OF RELIABILITY

For truck side curtains, roll-over tarpaulins, and heavy duty tarpaulins

- 2-year UV warranty
- UV stabilised
- Strong & durable
- Mould resistant

Tarpol

DURABLE BY DESIGN

For truck side curtains, roll-over tarpaulins, and heavy duty tarpaulins

- 2-year UV warranty
- UV stabilised
- Strong & durable
- Mould resistant

CT1000 by WONPCONG

DESIGNED TO ENDURE

For jumping castles, sporting equipment, tents, and tarpaulins

- UV stabilised
- Fire retardant
- Strong & durable

RICKY RIPSTOP

by WONPCONG

STRENGTH MEETS PRECISION

For tarpaulins, covers, and grain bins

- UV stabilised
- Fire retardant
- Rip resistant

B6000

900GSM PVC-COATED POLYESTER

For heavy-duty transport applications, truck side curtains, roll-over tarpaulins





B6000



THE ULTIMATE HEAVY-DUTY TRANSPORT SOLUTION

Crafted with precision and durability in mind, B6000 from world-leading supplier Sioen is a dimensionally stable PVC fabric that ensures reliability and performance even in the most demanding conditions.

Designed to withstand the rigors of heavy-duty transport applications, this versatile fabric is the go-to choice for truck side curtains, roll-over tarps, and tarpaulins. With its robust construction and superior quality, Sio-Line B6000 offers unparalleled strength and longevity, providing peace of mind to businesses and drivers alike. B6000 delivers exceptional performance, ensuring that your goods remain protected and secure at all times.



UV STABILISED

B6000 fabrics are UV stabilised which prevents them from fading under intense UV rays. This increases the textiles' longevity and ensures easy cleaning.



PROTECTIVE LACQUER

B6000 is finished with a protective lacquer to maintain appearance and product performance.



STRONG & DURABLE

B6000 is engineered to be robust and durable, capable of withstanding the demands of heavy-duty transport applications.



MOULD & MILDEW RESISTANT

This PVC fabric is highly resistant to mould and mildew, ensuring longevity and reliability even in challenging environments.




MADE BY SIOEN

Manufactured in Europe by the world market leader in technical textiles.


COLOUR RANGE




1001 YELLOW




3001 RED




5007 ROYAL BLUE



7999 BLACK



9002 WHITE




3617 MAROON




3018 ORANGE




5028 MARINE BLUE



5030 NAVY




6028 DARK GREEN



6037 GREEN



7024 GREY



7500 SILVER

TECHNICAL SPECIFICATIONS

Roll Width	320cm
Roll Length	30m, 60m, 224m
Nominal Weight	900gsm
Thickness	0.72mm
Base Fabric	Panama woven 1100dtex
Fabric Density	12 x 12 threads per cm ²
Fabric Type	PVC coated polyester
Finish	Gloss acrylic lacquer both sides
Tensile Strength (AS 2001.2.3.1 - 2001)	Warp: 3802N/50mm Weft: 3964N/50mm
Elongation at Break	Warp: 25.4% Weft: 18.4%
Wing Rip (AS 2001.2.10-1986)	Warp: 271N Weft: 259N

ROLL LENGTHS

Colour	Roll Lengths
1001 Yellow	30m, 60m
3001 Red	30m, 60m, 224m
5007 Royal Blue	30m, 60m, 224m
7999 Black	30m, 60m, 224m
9002 White	30m, 60m, 224m
3617 Maroon	30m, 60m
3018 Orange	30m, 60m
5028 Marine Blue	30m, 60m, 224m
5030 Navy	30m, 60m, 224m
6028 Dark Green	30m, 60m, 224m
6037 Green	30m, 60m
7024 Grey	30m, 60m, 224m
7500 Silver	30m, 60m

AK420

520GSM PVC-COATED POLYESTER

For marquees, covers, banners & sporting equipment





THE PINNACLE OF PVC EXCELLENCE

Our most popular PVC fabric is meticulously crafted to meet the demands of small to medium-scale applications. Renowned for its strength, durability, and easy maintenance, this fabric stands as our most sought-after solution for projects requiring superior performance.

Versatile and reliable: From marquees and covers to banners and sporting equipment, AK420 offers unmatched versatility to adapt to diverse project needs. With its UV stabilised and fire retardant properties, it ensures lasting vibrancy and safety in any environment. Finished with a sleek matte texture, AK420 delivers a sophisticated aesthetic that enhances the appeal of any project.



UV STABILISED


AK420 fabrics are UV stabilised which prevents them from fading under intense UV rays. This increases the textiles' longevity and ensures easy cleaning.



FIRE RETARDANT

AK420 fabric are fire retardant which means they are designed for commercial environments. Test results available from Ricky Richards by request.

COLOUR RANGE



TECHNICAL SPECIFICATIONS


Roll Width	203cm
Roll Length	30m
Nominal Weight	520gsm
Thickness	0.40mm
Fabric Type	PVC coated polyester
Base Fabric	Woven 550dtex polyester
Fabric Density	8 x 8 threads per cm ²
Finish	Matte
Tensile Strength (AS 2001.2.3.1-2001)	Warp: 1418N/50mm Weft: 1205N/50mm
Elongation at Break	Warp: 24.3% Weft: 27.8%
Wing Rip (AS 2001.2.10-1986)	Warp: 150N Weft: 103N

MARQUEES & TENTS

COVERS




SPORTS EQUIPMENT



NG600 & NG680

600GSM & 680GSM PVC-COATED POLYESTER

For covers, banners, sporting equipment, marquees, tents, bags, tarpaulins, box trailer covers, grain bins & truck side curtains





NG600 & NG680



BUILT TOUGH FOR CHALLENGING CONDITIONS

NG600 & NG680 have your back when it comes to applications that must face the harsh elements.

These PVC fabrics are not only resistant to ripping, but also to bacteria. These fabrics won't fade because they are UV stabilised, and also fire retardant, ensuring that they're built with quality and durability. Amidst all these great features, NG600 & NG680 are also printable and come with a 2-year warranty – now that's a PVC you can rely on.



UV STABILISED

NG600 & NG680 fabrics are UV stabilised which prevents them from fading under intense UV rays. This also increases the textiles' longevity and ensures easy cleaning.



FIRE RETARDANT

NG600 & NG680 are both fire retardant, so the fabrics are designed for commercial environments. Test results available by request.



ANTI-BACTERIAL TREATMENT

NG600 & NG680 feature an anti-bacterial treatment, ensuring longevity and reliability even in challenging environments.



PRINTABLE

NG600 & NG680 are printable and is compatible with screen and digital printing methods.



2-YEAR UV WARRANTY

NG600 & NG680 fabrics are supported by a 2-year UV warranty.


COVERS & TARPAULINS




SPORTING EQUIPMENT



BAGS




NG600 COLOUR RANGE



NG600 TECHNICAL SPECIFICATIONS

Roll Size	250cm x 30m	Nominal Weight	600gsm
Thickness	0.50mm	Fabric Type	PVC coated polyester
Fabric Density	8 x 8 threads per cm ²	Finish	Semi gloss to gloss with one side lacquered
Base Fabric	Woven 1300dtex x 1300dtex polyester		
Tensile Strength (AS2001.2.3.1-2001)	Warp: 2700N/50mm Weft: 2600N/50mm	Elongation at Break	Warp: 23% Weft: 23%
Wing Rip (AS2001.2.10-1986)	Warp: 320N Weft: 300N		

NG680 COLOUR RANGE



NG680 TECHNICAL SPECIFICATIONS

Roll Sizes	250cm x 30m, 320cm x 30m, 320cm x 200m*	*320cm x 200m rolls available in Royal Blue & Mid Grey only	
Nominal Weight	680gsm	Thickness	0.55mm
Fabric Type	PVC coated ripstop polyester	Fabric Density	7 x 7 ripstop threads per cm ²
Finish	Gloss	Adhesion	95N/50mm
Base Fabric	Woven 1300dtex x 1300dtex polyester	Tensile Strength (AS2001.2.3.1-2001)	Warp: 3300N/50mm Weft: 3200N/50mm
Elongation at Break	Warp: 23% Weft: 23%	Tear Strength	Warp: 340N Weft: 320N



680GSM & 750GSM PVC-COATED POLYESTER

For covers, tarpaulins, umbrellas, sporting equipment, tents & marquees



 ricky

 Profarp



VERSATILE INDUSTRIAL PROTECTION

Protarp – a high-performance reinforced PVC fabric engineered specifically for the demanding Australian climate.

Manufactured to stringent quality standards using premium materials, Protarp offers exceptional durability and reliability across a range of outdoor applications. Fire retardant and finished with an acrylic lacquer for enhanced UV and weather protection, it's ideal for commercial use in covers, tarpaulins, umbrellas, sports equipment, marquees and more. An additional blackout option makes Protarp an especially versatile PVC.



UV STABILISED

Protarp is UV stabilised to protect from intense UV rays. This increases the textiles' longevity and ensures easy cleaning.



FIRE RETARDANT


Protarp is fire retardant which means the fabric is designed for commercial environments. Test results available by request.



2-YEAR UV WARRANTY

Protarp is supported with a 2-year warranty.

COLOUR RANGE



BLACK



CHARCOAL



GREY



RED




BLUE



GREEN



YELLOW




WHITE
(ALSO AVAILABLE IN BLOCKOUT)

TECHNICAL SPECIFICATIONS

Roll Width	320cm
Roll Length	30m
Nominal Weight	Standard: 680gsm Blockout: 750gsm
Tensile Strength (AS 4878.6)	Warp: 3176N/50mm Weft: 2353N/50mm
Tear Strength (AS 4878.7)	Warp: 170N Weft: 217N
Adhesion (AS 4878.8)	100N/50mm
Flex Cracking (AS 4878.9)	300,000 cycles
Fire Retardant – Aus Tarp Std (AS 2755.2)	Pass
Flamability Index (AS 1530.2)	8
Smoke Developed (AS 1530.3)	7
Spread of Flame (AS 1530.3)	0

Test results are provided by an independent third party test laboratory. Tolerances may vary by up to 10%.



MAXISIDE 900

900GSM PVC-COATED POLYESTER

For heavy-duty transport applications, truck side curtains, roll-over tarpaulins





MAXSIDE 900



THE EPITOME OF RELIABILITY AND DURABILITY IN THE REALM OF HEAVY DUTY FABRICS

Crafted to excel in demanding environments, this heavy weight PVC coated polyester boasts an acrylic lacquer finish on both sides, ensuring unmatched strength and longevity.

Tailored for truck side curtains, roll-over tarpaulins, and heavy duty tarpaulins, Maxiside 900 offers unparalleled versatility to meet a wide range of application needs. Its UV stabilised and anti-fungal properties guarantee exceptional performance and longevity even in the harshest conditions.

Built to Last: With Maxiside 900, durability is not just a feature – it's a guarantee. The acrylic lacquer finish on both sides enhances its resistance to wear and tear, while the UV stabilisation ensures lasting colour vibrancy. Whether you're tackling truck side curtains or heavy duty tarpaulins, Maxiside 900 delivers reliability you can trust. Choose Maxiside 900 for your heavy-duty projects and experience the difference superior quality makes.



UV STABILISED


Maxiside 900 fabrics are UV stabilised, preventing them from fading under intense UV rays.



ANTI-FUNGAL

Maxiside 900 fabrics are finished with an anti-fungal treatment that kills parasitic fungi or their spores. This treatment provides ease of maintenance and improves the textiles' longevity.

COLOUR RANGE



RED



YELLOW



GREEN



ROYAL BLUE



NAVY




WHITE



GREY



BLACK



WHITE DP
(DIGITALLY PRINTED)

TECHNICAL SPECIFICATIONS

Roll Width	320cm
Roll Lengths	30m & 60m
Nominal Weight	900gsm
Thickness	0.70mm
Adhesion	100N
Fabric Type	PVC coated polyester
Base Fabric	100% polyester 1000D, panama weave
Fabric Density	12 x 12 threads per cm ²
Finish	Acrylic lacquer on both sides
Printing Compatibility	Yes (White DP only)
Tensile Strength	Warp: 3800N/50mm Weft: 3600N/50mm
Breaking Strength	Warp: 3800N/50mm Weft: 3600N/50mm





700GSM PVC-COATED POLYESTER

For tarpaulins, roll-over tarpaulins, trailer covers & grain bins



 Ricky

 Tarpol



DURABLE BY DESIGN

A high-quality, durable, rip-resistant PVC coated polyester, Tarpol is ideal for large scale and heavy-duty tarpaulin and cover applications requiring robustness and longevity. Tarpol features a gloss acrylic lacquer on both sides.



UV STABILISED

Tarpol is UV stabilised, preventing it from fading under intense UV rays.



DURABLE & RIP RESISTANT

Tarpol is a highly durable, rip-stop PVC engineered to suit large scale and heavy-duty applications.



PREMIUM EUROPEAN QUALITY

Tarpol is designed and made by industry pioneers Sioen.

COLOUR RANGE




9002 WHITE




8600 BEIGE



1001 YELLOW




3001 RED



3017 MAROON



6037 GREEN



6028 DARK GREEN




5007 ROYAL BLUE




5030 NAVY



7193 LIGHT GREY















7024 GREY



7999 BLACK

ROLL WIDTHS

Colour	250cm	320cm	Colour	250cm	320cm
 9002 White	•		 6028 Dark Green	•	
 8600 Beige	•		 5007 Royal Blue	•	•
 1001 Yellow	•	•	 5030 Navy	•	
 3001 Red	•	•	 7193 Light Grey	•	
 3017 Maroon	•		 7024 Grey	•	•
 6037 Green	•	•	 7999 Black	•	•

TECHNICAL SPECIFICATIONS

Roll Widths	250cm & 320cm*
Roll Length	30m
Nominal Weight	700gsm
Thickness	0.55mm
Fabric Type	PVC coated rip-resistant polyester
Finish	Gloss acrylic lacquer both sides
Base Fabric	1100dtex polyester
Fabric Density	8 x 8 threads per cm ²
Tensile Strength (AS2001.2.3.1-2001)	Warp: 3101N/50mm Weft: 2649N/50mm
Elongation at Break	Warp: 25.0% Weft: 17.4%
Wing Rip (AS2001.2.10-1986)	Warp: 236N Weft: 213N

Test results are provided by an independent third party test laboratory. Tolerances may vary by up to 10%.

*250cm roll width available in all colours. 320cm roll width available in Yellow, Red, Green, Royal Blue, Grey, and Black only.

CT1000

630GSM PVC-COATED POLYESTER

For jumping castles, sporting equipment, tents & tarpaulins





CT1000



DESIGNED TO ENDURE

CT1000 PVC Fabric is best suited for tough industrial and commercial applications with its robust PVC coating and high tensile strength, offering reliable protection.

Designed to withstand harsh environments, this fabric is both fire retardant and UV-resistant, ensuring long-lasting performance even under extreme conditions. With a vast colour range at your selection, you can be ready to tackle any project ahead.



UV STABILISED


CT1000 fabrics are UV stabilised which prevents them from fading under intense UV rays. This increases the textiles' longevity and ensures easy cleaning.



FIRE RETARDANT

CT1000 is fire retardant which means the fabrics are designed for commercial environments. Test results available by request.


COLOUR RANGE




WHITE



YELLOW



ORANGE



RED




PINK



GREEN




LIGHT BLUE




ROYAL BLUE



DARK BLUE



GREY



BLACK

TECHNICAL SPECIFICATIONS

Roll Width	203cm
Roll Length	30m
Nominal Weight	630gsm
Thickness	0.54mm
Fabric Type	PVC coated polyester
Finish	Matte
Base Fabric	Woven 1100dtex polyester
Fabric Density	8 x 8 threads per cm ²
Tensile Strength (AS 2001.2.3.1 - 2001)	Warp: 2987N/50mm Weft: 2660N/50mm
Elongation at Break	Warp: 22.1% Weft: 29.7%
Wing Rip (AS 2001.2.10-1986)	Warp: 361N Weft: 180N



RICKY RIPSTOP

630GSM PVC-COATED POLYESTER

For jumping castles, sporting equipment, tents & tarpaulins





RICKY RIPSTOP



STRENGTH AND DURABILITY MEET PRECISION

Engineered for medium to large-scale applications where resilience reigns supreme. Crafted with precision, this fabric boasts exceptional tear and rip resistance, ensuring longevity and reliability in the face of challenging conditions. With a sleek gloss acrylic lacquer coating on both sides, maintenance becomes a breeze, making cleanup effortless after every use.

From safeguarding your cargo to protecting your assets, Ricky Ripstop proves its mettle across a diverse range of applications. Whether it's tarpaulins for construction sites, robust ute covers, or sturdy box trailer covers, this fabric rises to the occasion with unwavering strength and performance. With Ricky Ripstop, durability meets convenience, empowering you to tackle any task with confidence and ease.



UV STABILISED

Ricky Ripstop fabrics are UV stabilised which prevents them from fading under intense UV rays. This also increases the textiles' longevity and ensures easy cleaning.



FIRE RETARDANT


Ricky Ripstop is fire retardant which means the fabrics are designed for commercial environments. Test results available by request.



DURABLE & RIP RESISTANT

Ricky Ripstop is resistant to tearing or ripping, making the fabric extremely durable.

COLOUR RANGE




WHITE



YELLOW




ORANGE



CHILLI RED



PINK



GREEN




LIGHT BLUE




ROYAL BLUE




NAVY



GREY



BLACK



TECHNICAL SPECIFICATIONS

Roll Width	203cm
Roll Length	30m
Nominal Weight	650gsm
Thickness	0.58mm
Fabric Type	PVC coated rip-resistant polyester
Base Fabric	Woven 1100dtex polyester
Fabric Density	9 x 9 threads per cm ²
Finish	Matte
Tensile Strength (AS2001.2.3.1-2001)	Warp: 3313N/50mm Weft: 3149N/50mm
Elongation at Break	Warp: 26.9% Weft: 35.3%
Wing Rip (AS2001.2.3.10-1986)	Warp: 480N Weft: 455N





Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
1300 RICKYS (1300 742 597)
sales@rickyrichards.com.au
rickyrichards.com.au

JANUARY 2026

Information contained in this brochure is accurate and based on the latest product information available at the time.
Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information,
we maintain the right to make changes as necessary.



EXPLORE
OUR COVERS
& TARPS
RANGE