



NG680

RIP-RESISTANT PVC COATED POLYESTER

COVERS & TARPAULINS

MARQUEES & TENTS

SPORTS EQUIPMENT

TRUCK CURTAINS

GRAIN BINS

BANNERS

BAGS



STRENGTH YOU CAN TRUST

NG680 has your back when it comes to applications that must face the harsh elements.

These PVC fabrics are not only resistant to ripping, but also to bacteria. These fabrics won't fade because they are UV stabilised, and also fire retardant, ensuring that they're built with quality and durability. Amidst all these great features, NG680 is also printable and come with a 2-year warranty – now that's a PVC you can rely on.

2

2-YEAR UV WARRANTY

NG680 is supported by a 2-year UV warranty.

UV

UV STABILISED

NG680 is UV stabilised which prevents them from fading under intense UV rays. This also increases the textiles' longevity and ensures easy cleaning.



FIRE RETARDANT

NG680 is fire retardant, so the fabrics are designed for commercial environments. Test results available by request.



ANTI-BACTERIAL TREATMENT

NG680 features an anti-bacterial treatment, ensuring longevity and reliability even in challenging environments.



PRINTABLE

NG680 is printable and is compatible with screen and digital printing methods.



DURABLE & RIP-RESISTANT

NG680 is a highly durable, rip-resistant PVC engineered to suit heavy-duty applications.

COVERS & TARPAULINS




SPORTING EQUIPMENT



BAGS



COLOUR RANGE



TECHNICAL SPECIFICATIONS

| | | | |
|---------------------|---|--------------------------------------|--------------------------------------|
| Roll Sizes | 250cm (width) x 30m (length) & 320cm (width) x 30m (length) – all colours 320cm (width) x 200m (length) – Royal Blue & Mid Grey only | | |
| Nominal Weight | 680gsm | Thickness | 0.55mm |
| Fabric Type | PVC coated ripstop polyester | Fabric Density | 7 x 7 ripstop threads per cm² |
| Finish | Gloss | Adhesion | 95N/50mm |
| Base Fabric | Woven 1300dtex x 1300dtex polyester | Tensile Strength (AS2001.2.3.1-2001) | Warp: 3300N/50mm Weft: 3200N/50mm |
| Elongation at Break | Warp: 23% Weft: 23% | Tear Strength | Warp: 340N Weft: 320N |



Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
1300 RICKYS (1300 742 597)
sales@rickyrichards.com.au
rickyrichards.com.au

JANUARY 2026

Information contained in this brochure is accurate and based on the latest product information available at the time.
Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information,
we maintain the right to make changes as necessary.



EXPLORE
NG680